

# Grades 9, 10, 11, 12

Adopted 2017

## Standards for Mathematical Practice

1. Make sense of problems and persevere in solving them. [MP.1](#)
2. Reason abstractly and quantitatively. [MP.2](#)
3. Construct viable arguments and critique the reasoning of others. [MP.3](#)
4. Model with mathematics. [MP.4](#)
5. Use appropriate tools strategically. [MP.5](#)
6. Attend to precision. [MP.6](#)
7. Look for and make use of structure. [MP.7](#)
8. Look for and express regularity in repeated reasoning. [MP.8](#)

## High School

### Number and Quantity

#### The Real Number System

- A. Extend the properties of exponents to rational exponents. [N-RN.A](#)
  1. Explain how the definition of the meaning of rational exponents follows from extending the properties of integer exponents to those values, allowing for a notation for radicals in terms of rational exponents. [N-RN.A.1](#)
  2. Rewrite expressions involving radicals and rational exponents using the properties of exponents. [N-RN.A.2](#)
- B. Use properties of rational and irrational numbers. [N-RN.B](#)
  3. Explain why the sum or product of two rational numbers is rational; that the sum of a rational number and an irrational number is irrational; and that the product of a nonzero rational number and an irrational number is irrational. [N-RN.B.3](#)

## Quantities

- A. Reason quantitatively and use units to solve problems. **N-Q.A**
1. Use units as a way to understand problems and to guide the solution of multi-step problems; choose and interpret units consistently in formulas; choose and interpret the scale and the origin in graphs and data displays. **N-Q.A.1**
  2. Define appropriate quantities for the purpose of descriptive modeling. **N-Q.A.2**
  3. Choose a level of accuracy appropriate to limitations on measurement when reporting quantities. **N-Q.A.3**
    - a. Describe the effects of approximate error in measurement and rounding on measurements and on computed values from measurements. Identify significant figures in recorded measures and computed values based on the context given and the precision of the tools used to measure. **N-Q.A.3.A**

## The Complex Number System

- A. Perform arithmetic operations with complex numbers. **N-CN.A**
1. Know there is a complex number  $i$  such that  $i^2 = -1$ , and every complex number has the form  $a + bi$  with  $a$  and  $b$  real. **N-CN.A.1**
  2. Use the relation  $i^2 = -1$  and the Commutative, Associative, and Distributive properties to add, subtract, and multiply complex numbers. **N-CN.A.2**
  3. (+) Find the conjugate of a complex number; use conjugates to find moduli and quotients of complex numbers. **N-CN.A.3**
- B. Represent complex numbers and their operations on the complex plane. **N-CN.B**
4. (+) Represent complex numbers on the complex plane in rectangular and polar form (including real and imaginary numbers), and explain why the rectangular and polar forms of a given complex number represent the same number. **N-CN.B.4**
  5. (+) Represent addition, subtraction, multiplication, and conjugation of complex numbers geometrically on the complex plane; use properties of this representation for computation. **N-CN.B.5**
  6. (+) Calculate the distance between numbers in the complex plane as the modulus of the difference, and the midpoint of a segment as the average of the numbers at its endpoints. **N-CN.B.6**
- C. Use complex numbers in polynomial identities and equations. **N-CN.C**
7. Solve quadratic equations with real coefficients that have complex solutions. **N-CN.C.7**
  8. (+) Extend polynomial identities to the complex numbers. **N-CN.C.8**
  9. (+) Know the Fundamental Theorem of Algebra; show that it is true for quadratic polynomials. **N-CN.C.9**

## Vector and Matrix Quantities

### A. Represent and model with vector quantities. **N-VM.A**

1. (+) Recognize vector quantities as having both magnitude and direction. Represent vector quantities by directed line segments, and use appropriate symbols for vectors and their magnitudes (e.g.,  $\mathbf{v}$ ,  $|\mathbf{v}|$ ,  $\|\mathbf{v}\|$ ,  $v$ ). **N-VM.A.1**
2. (+) Find the components of a vector by subtracting the coordinates of an initial point from the coordinates of a terminal point. **N-VM.A.2**
3. (+) Solve problems involving velocity and other quantities that can be represented by vectors. **N-VM.A.3**

### B. Perform operations on vectors. **N-VM.B**

4. (+) Add and subtract vectors. **N-VM.B.4**
  - a. (+) Add vectors end-to-end, component-wise, and by the parallelogram rule. Understand that (+) the magnitude of a sum of two vectors is typically not the sum of the magnitudes. **N-VM.B.4.A**
  - b. (+) Given two vectors in magnitude and direction form, determine the magnitude and direction of their sum. **N-VM.B.4.B**
  - c. (+) Understand vector subtraction  $\mathbf{v} - \mathbf{w}$  as  $\mathbf{v} + (-\mathbf{w})$ , where  $-\mathbf{w}$  is the additive inverse of  $\mathbf{w}$ , with the same magnitude as  $\mathbf{w}$  and pointing in the opposite direction. Represent vector subtraction graphically by connecting the tips in the appropriate order, and perform vector subtraction component-wise. **N-VM.B.4.C**
5. (+) Multiply a vector by a scalar. **N-VM.B.5**
  - a. (+) Represent scalar multiplication graphically by scaling vectors and possibly reversing their direction; perform scalar multiplication component-wise, e.g., as  $c(\mathbf{v}_x, \mathbf{v}_y) = (c\mathbf{v}_x, c\mathbf{v}_y)$ . **N-VM.B.5.A**
  - b. (+) Compute the magnitude of a scalar multiple  $c\mathbf{v}$  using  $\|c\mathbf{v}\| = |c|\mathbf{v}$ . Compute the direction of  $c\mathbf{v}$  knowing that when  $|c|\mathbf{v} \neq 0$ , the direction of  $c\mathbf{v}$  is either along  $\mathbf{v}$  (for  $c > 0$ ) or against  $\mathbf{v}$  (for  $c < 0$ ). **N-VM.B.5.B**

- C. Perform operations on matrices and use matrices in applications. **N-VM.C**
6. (+) Use matrices to represent and manipulate data, e.g., to represent payoffs or incidence relationships in a network. **N-VM.C.6**
  7. (+) Multiply matrices by scalars to produce new matrices, e.g., as when all of the payoffs in a game are doubled. **N-VM.C.7**
  8. (+) Add, subtract, and multiply matrices of appropriate dimensions. **N-VM.C.8**
  9. (+) Understand that, unlike multiplication of numbers, matrix multiplication for square matrices is not a Commutative operation, but still satisfies the Associative and Distributive properties. **N-VM.C.9**
  10. (+) Understand that the zero and identity matrices play a role in matrix addition and multiplication similar to the role of 0 and 1 in the real numbers. The determinant of a square matrix is nonzero if and only if the matrix has a multiplicative inverse. **N-VM.C.10**
  11. (+) Multiply a vector (regarded as a matrix with one column) by a matrix of suitable dimensions to produce another vector. Work with matrices as transformations of vectors. **N-VM.C.11**
  12. (+) Work with  $2 \times 2$  matrices as transformations of the plane, and interpret the absolute value of the determinant in terms of area. **N-VM.C.12**
- 

## Algebra

### Seeing Structure in Expressions

- A. Interpret the structure of exponential, polynomial, and rational expressions. **A-SSE.A**
1. Interpret expressions that represent a quantity in terms of its context. **A-SSE.A.1**
    - a. Interpret parts of an expression, such as terms, factors, and coefficients. **A-SSE.A.1.A**
    - b. Interpret complicated expressions by viewing one or more of their parts as a single entity. **A-SSE.A.1.B**
  2. Use the structure of an expression to identify ways to rewrite it. **A-SSE.A.2**
- B. Write expressions in equivalent forms to solve problems. **A-SSE.B**
3. Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression. **A-SSE.B.3**
    - a. Factor a quadratic expression to reveal the zeros of the function it defines. **A-SSE.B.3.A**
    - b. Complete the square in a quadratic expression to reveal the maximum or minimum value of the function it defines. **A-SSE.B.3.B**
    - c. Use the properties of exponents to transform expressions for exponential functions. **A-SSE.B.3.C**
  4. Derive the formula for the sum of a finite geometric series (when the common ratio is not 1), and use the formula to solve problems. **A-SSE.B.4**

## Arithmetic with Polynomials and Rational Expressions

### A. Perform arithmetic operations on polynomials. [A-APR.A](#)

1. Understand that polynomials form a system analogous to the integers, namely, they are closed under certain operations. [A-APR.A.1](#)
  - a. Perform operations on polynomial expressions (addition, subtraction, multiplication, division) and compare the system of polynomials to the system of integers when performing operations. [A-APR.A.1.A](#)
  - b. Factor and/or expand polynomial expressions, identify and combine like terms, and apply the Distributive property. [A-APR.A.1.B](#)

### B. Understand the relationship between zeros and factors of polynomials. [A-APR.B](#)

2. Know and apply the Remainder Theorem: For a polynomial  $p(x)$  and a number  $a$ , the remainder on division by  $x - a$  is  $p(a)$ , so  $p(a) = 0$  if and only if  $(x - a)$  is a factor of  $p(x)$ . [A-APR.B.2](#)
3. Identify zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial. [A-APR.B.3](#)

### C. Use polynomial identities to solve problems. [A-APR.C](#)

4. Prove polynomial identities and use them to describe numerical relationships. [A-APR.C.4](#)
5. (+) Know and apply the Binomial Theorem for the expansion of  $(x + y)^n$  in powers of  $x$  and  $y$  for a positive integer  $n$ , where  $x$  and  $y$  are any numbers, with coefficients determined for example by Pascal's Triangle. [A-APR.C.5](#)

### D. Rewrite rational expressions. [A-APR.D](#)

6. Rewrite simple rational expressions in different forms; write  $a(x)/b(x)$  in the form  $q(x) + r(x)/b(x)$ , where  $a(x)$ ,  $b(x)$ ,  $q(x)$ , and  $r(x)$  are polynomials with the degree of  $r(x)$  less than the degree of  $b(x)$ , using inspection, long division, or, for the more complicated examples, a computer algebra system. [A-APR.D.6](#)
7. (+) Understand that rational expressions form a system analogous to the rational numbers, closed under addition, subtraction, multiplication, and division by a nonzero rational expression; add, subtract, multiply, and divide rational expressions. [A-APR.D.7](#)

## Creating Equations

- A. Create equations that describe numbers or relationships. **A-CED.A**
  - 1. Create equations and inequalities in one variable and use them to solve problems. (Include equations arising from linear and quadratic functions, and simple root and rational functions and exponential functions.) **A-CED.A.1**
  - 2. Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales. **A-CED.A.2**
  - 3. Represent constraints by equations or inequalities, and by systems of equations and/or inequalities, and interpret solutions as viable or non-viable options in a modeling context. **A-CED.A.3**
  - 4. Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations. **A-CED.A.4**

## Reasoning with Equations and Inequalities

- A. Understand solving equations as a process of reasoning and explain the reasoning. **A-REI.A**
  - 1. Explain each step in solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution. Construct a viable argument to justify or refute a solution method. **A-REI.A.1**
  - 2. Solve simple rational and radical equations in one variable, and give examples showing how extraneous solutions may arise. **A-REI.A.2**
- B. Solve equations and inequalities in one variable. **A-REI.B**
  - 3. Solve linear equations and inequalities in one variable, including equations with coefficients represented by letters. **A-REI.B.3**
    - a. Solve linear equations and inequalities in one variable involving absolute value. **A-REI.B.3.A**
  - 4. Solve quadratic equations in one variable. **A-REI.B.4**
    - a. Use the method of completing the square to transform any quadratic equation in  $x$  into an equation of the form  $(x - p)^2 = q$  that has the same solutions. Derive the quadratic formula from this form. **A-REI.B.4.A**
    - b. Solve quadratic equations by inspection (e.g., for  $x^2 = 49$ ), taking square roots, completing the square, the quadratic formula, and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions and write them as  $a \pm bi$  for real numbers  $a$  and  $b$ . **A-REI.B.4.B**
- C. Solve systems of equations. **A-REI.C**
  - 5. Prove that, given a system of two equations in two variables, replacing one equation by the sum of that equation and a multiple of the other produces a system with the same solutions. **A-REI.C.5**
  - 6. Solve systems of linear equations exactly and approximately (e.g., with graphs), focusing on pairs of linear equations in two variables. **A-REI.C.6**
  - 7. Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. **A-REI.C.7**
  - 8. (+) Represent a system of linear equations as a single matrix equation in a vector variable. **A-REI.C.8**
  - 9. (+) Find the inverse of a matrix if it exists and use it to solve systems of linear equations (using technology for matrices of dimension  $3 \times 3$  or greater). **A-REI.C.9**

**D.** Represent and solve equations and inequalities graphically. **A-REI.D**

- 10.** Understand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line). Show that any point on the graph of an equation in two variables is a solution to the equation. **A-REI.D.10**
- 11.** Explain why the x-coordinates of the points where the graphs of the equations  $y = f(x)$  and  $y = g(x)$  intersect are the solutions of the equation  $f(x) = g(x)$ ; find the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where  $f(x)$  and/or  $g(x)$  are linear, polynomial, rational, absolute value, exponential, and logarithmic functions. **A-REI.D.11**
- 12.** Graph the solutions of a linear inequality in two variables as a half-plane (excluding the boundary in the case of a strict inequality), and graph the solution set of a system of linear inequalities in two variables as the intersection of the corresponding half-planes. **A-REI.D.12**

---

**Functions**



## Interpreting Functions

### A. Understand the concept of a function and use function notation. F-IF.A

1. Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range. If  $f$  is a function and  $x$  is an element of its domain, then  $f(x)$  denotes the output of  $f$  corresponding to the input  $x$ . The graph of  $f$  is the graph of the equation  $y = f(x)$ . F-IF.A.1
2. Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context. F-IF.A.2
3. Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. F-IF.A.3

### B. Interpret functions that arise in applications in terms of the context (linear, quadratic, exponential, rational, polynomial, square root, cube root, trigonometric, logarithmic). F-IF.B

4. For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. F-IF.B.4
5. Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. F-IF.B.5
6. Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph. F-IF.B.6

C. Analyze functions using different representations. F-IF.C

7. Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases. F-IF.C.7
  - a. Graph linear and quadratic functions and show intercepts, maxima, and minima. F-IF.C.7.A
  - b. Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions. F-IF.C.7.B
  - c. Graph polynomial functions, identifying zeros when suitable factorizations are available, and showing end behavior. F-IF.C.7.C
  - d. (+) Graph rational functions, identifying zeros and asymptotes when suitable factorizations are available, and showing end behavior. F-IF.C.7.D
  - e. Graph exponential and logarithmic functions, showing intercepts and end behavior, and trigonometric functions, showing period, midline, and amplitude. F-IF.C.7.E
8. Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function. F-IF.C.8
  - a. Use the process of factoring and/or completing the square in quadratic and polynomial functions, where appropriate, to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context. F-IF.C.8.A
  - b. Use the properties of exponents to interpret expressions for exponential functions. Apply to financial situations such as identifying appreciation and depreciation rate for the value of a house or car some time after its initial purchase. F-IF.C.8.B
9. Translate among different representations of functions (algebraically, graphically, numerically in tables, or by verbal descriptions). Compare properties of two functions each represented in a different way. F-IF.C.9
10. Given algebraic, numeric and/or graphical representations of functions, recognize the function as polynomial, rational, logarithmic, exponential, or trigonometric. F-IF.C.10

## Building Functions

- A.** Build a function that models a relationship between two quantities. **F-BF.A**
1. Write a function (linear, quadratic, exponential, simple rational, radical, logarithmic, and trigonometric) that describes a relationship between two quantities. **F-BF.A.1**
    - a. Determine an explicit expression, a recursive process, or steps for calculation from a context. **F-BF.A.1.A**
    - b. Combine standard function types using arithmetic operations. **F-BF.A.1.B**
    - c. (+) Compose functions. **F-BF.A.1.C**
  2. Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms. **F-BF.A.2**
- B.** Build new functions from existing functions. **F-BF.B**
3. Identify the effect on the graph of replacing  $f(x)$  by  $f(x) + k$ ,  $kf(x)$ ,  $f(kx)$ , and  $f(x + k)$  for specific values of  $k$  (both positive and negative); find the value of  $k$  given the graphs. (Include linear, quadratic, exponential, absolute value, simple rational and radical, logarithmic and trigonometric functions.) Utilize technology to experiment with cases and illustrate an explanation of the effects on the graph. (Include recognizing even and odd functions from their graphs and algebraic expressions for them.) **F-BF.B.3**
  4. Find inverse functions algebraically and graphically. **F-BF.B.4**
    - a. Solve an equation of the form  $f(x) = c$  for a simple function  $f$  that has an inverse and write an expression for the inverse. (Include linear and simple polynomial, rational, and exponential functions.) **F-BF.B.4.A**
    - b. (+) Verify by composition that one function is the inverse of another. **F-BF.B.4.B**
    - c. (+) Read values of an inverse function from a graph or a table, given that the function has an inverse. **F-BF.B.4.C**
    - d. (+) Produce an invertible function from a non-invertible function by restricting the domain. **F-BF.B.4.D**
  5. (+) Understand the inverse relationship between exponents and logarithms and use this relationship to solve problems involving logarithms and exponents. **F-BF.B.5**

## Linear, Quadratic, and Exponential Models

- A. Construct and compare linear, quadratic, and exponential models and solve problems. **F-LE.A**
1. Distinguish between situations that can be modeled with linear functions and with exponential functions. **F-LE.A.1**
    - a. Prove that linear functions grow by equal differences over equal intervals, and that exponential functions grow by equal factors over equal intervals. **F-LE.A.1.A**
    - b. Recognize situations in which one quantity changes at a constant rate per unit interval relative to another. **F-LE.A.1.B**
    - c. Recognize situations in which a quantity grows or decays by a constant percent rate per unit interval relative to another. **F-LE.A.1.C**
  2. Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship, or two input-output pairs (including reading these from a table). **F-LE.A.2**
  3. Observe, using graphs and tables, that a quantity increasing exponentially eventually exceeds a quantity increasing linearly, quadratically, or (more generally) as a polynomial function. **F-LE.A.3**
  4. For exponential models, express as a logarithm the solution to  $ab^{ct} = d$  where  $a$ ,  $c$ , and  $d$  are numbers and the base  $b$  is 2, 10, or  $e$ ; evaluate the logarithm using technology. **F-LE.A.4**
- B. Interpret expressions for functions in terms of the situation they model. **F-LE.B**
5. Interpret the parameters in a linear or exponential function (of the form  $f(x) = b^x + k$ ) in terms of a context. **F-LE.B.5**

## Trigonometric Functions

- A. Extend the domain of trigonometric functions using the unit circle. **F-TF.A**
1. Understand radian measure of an angle as the length of the arc on the unit circle subtended by the angle. **F-TF.A.1**
  2. Explain how the unit circle in the coordinate plane enables the extension of trigonometric functions to all real numbers, interpreted as radian measures of angles traversed counterclockwise around the unit circle. **F-TF.A.2**
  3. (+) Use special triangles to determine geometrically the values of sine, cosine, tangent for  $x/3$ ,  $x/4$  and  $x/6$ , and use the unit circle to express the values of sine, cosine, and tangent for  $\pi - x$ ,  $\pi + x$ , and  $2\pi - x$  in terms of their values for  $x$ , where  $x$  is any real number. **F-TF.A.3**
  4. (+) Use the unit circle to explain symmetry (odd and even) and periodicity of trigonometric functions. **F-TF.A.4**
- B. Model periodic phenomena with trigonometric functions. **F-TF.B**
5. Choose trigonometric functions to model periodic phenomena with specified amplitude, frequency, and midline. **F-TF.B.5**
  6. (+) Understand that restricting a trigonometric function to a domain on which it is always increasing or always decreasing allows its inverse to be constructed. **F-TF.B.6**
  7. (+) Use inverse functions to solve trigonometric equations that arise in modeling contexts; evaluate the solutions using technology, and interpret them in terms of the context. **F-TF.B.7**
- C. Prove and apply trigonometric identities. **F-TF.C**
8. Prove the Pythagorean identity  $\sin^2(\theta) + \cos^2(\theta) = 1$  and use it to find  $\sin(\theta)$ ,  $\cos(\theta)$ , or  $\tan(\theta)$  given  $\sin(\theta)$ ,  $\cos(\theta)$ , or  $\tan(\theta)$  and the quadrant. **F-TF.C.8**
  9. (+) Prove the addition and subtraction formulas for sine, cosine, and tangent and use them to solve problems. **F-TF.C.9**

---

## Geometry

## Congruence

### A. Experiment with transformations in the plane. **G-CO.A**

1. Know precise definitions of angle, circle, perpendicular line, parallel line, and line segment, based on the undefined notions of point, line, distance along a line, and distance around a circular arc. **G-CO.A.1**
2. Represent transformations in the plane using, e.g., transparencies and geometry software; describe transformations as functions that take points in the plane as inputs and give other points as outputs. Compare transformations that preserve distance and angle to those that do not (e.g., translation versus horizontal stretch). **G-CO.A.2**
3. Given a rectangle, parallelogram, trapezoid, or regular polygon, describe the rotations and reflections that carry it onto itself. **G-CO.A.3**
4. Develop definitions of rotations, reflections, and translations in terms of angles, circles, perpendicular lines, parallel lines, and line segments. **G-CO.A.4**
5. Given a geometric figure and a rotation, reflection, or translation, draw the transformed figure using, e.g., graph paper, tracing paper, or geometry software. Specify a sequence of transformations that will carry a given figure onto another. **G-CO.A.5**

### B. Understand congruence in terms of rigid motions. **G-CO.B**

6. Use geometric descriptions of rigid motions to transform figures and to predict the effect of a given rigid motion on a given figure; given two figures, use the definition of congruence in terms of rigid motions to decide if they are congruent. **G-CO.B.6**
7. Use the definition of congruence in terms of rigid motions to show that two triangles are congruent if and only if corresponding pairs of sides and corresponding pairs of angles are congruent. **G-CO.B.7**
8. Explain how the criteria for triangle congruence (ASA, SAS, and SSS) follow from the definition of congruence in terms of rigid motions. **G-CO.B.8**

**C. Prove geometric theorems and, when appropriate, the converse of theorems. G-CO.C**

- 9.** Prove theorems about lines and angles. Theorems include: vertical angles are congruent; when a transversal crosses parallel lines, alternate interior angles are congruent and corresponding angles are congruent, and conversely prove lines are parallel; points on a perpendicular bisector of a line segment are exactly those equidistant from the segment's endpoints. **G-CO.C.9**
- 10.** Prove theorems about triangles. Theorems include: measures of interior angles of a triangle sum to  $180^\circ$ ; base angles of isosceles triangles are congruent, and conversely prove a triangle is isosceles; the segment joining midpoints of two sides of a triangle is parallel to the third side and half the length; and the medians of a triangle meet at a point. **G-CO.C.10**
- 11.** Prove theorems about parallelograms. Theorems include: opposite sides are congruent, opposite angles are congruent, the diagonals of a parallelogram bisect each other, and conversely, rectangles are parallelograms with congruent diagonals. **G-CO.C.11**
  - a.** Prove theorems about polygons. Theorems include the measures of interior and exterior angles. Apply properties of polygons to the solutions of mathematical and contextual problems. **G-CO.C.11.A**

**D. Make geometric constructions. G-CO.D**

- 12.** Make formal geometric constructions with a variety of tools and methods (compass and straightedge, string, reflective devices, paper folding, dynamic geometric software, etc.). Constructions include: copying a segment; copying an angle; bisecting a segment; bisecting an angle; constructing perpendicular lines, including the perpendicular bisector of a line segment; and constructing a line parallel to a given line through a point not on the line. **G-CO.D.12**
- 13.** Construct an equilateral triangle, a square, and a regular hexagon inscribed in a circle. **G-CO.D.13**

## Similarity, Right Triangles, and Trigonometry

### A. Understand similarity in terms of similarity transformations. **G-SRT.A**

1. Verify experimentally the properties of dilations given by a center and a scale factor: **G-SRT.A.1**
  - a. A dilation takes a line not passing through the center of the dilation to a parallel line, and leaves a line passing through the center unchanged. **G-SRT.A.1.A**
  - b. The dilation of a line segment is longer or shorter in the ratio given by the scale factor. **G-SRT.A.1.B**
2. Given two figures, use the definition of similarity in terms of similarity transformations to decide if they are similar; explain using similarity transformations the meaning of similarity for triangles as the equality of all corresponding pairs of angles and the proportionality of all corresponding pairs of sides. **G-SRT.A.2**
3. Use the properties of similarity transformations to establish the Angle-Angle (AA) criterion for two triangles to be similar. **G-SRT.A.3**

### B. Prove theorems involving similarity. **G-SRT.B**

4. Prove theorems about triangles. Theorems include: a line parallel to one side of a triangle divides the other two proportionally, and conversely; the Pythagorean Theorem proved using triangle similarity. **G-SRT.B.4**
5. Use congruence and similarity criteria for triangles to solve problems and to prove relationships in geometric figures. **G-SRT.B.5**

### C. Define trigonometric ratios and solve problems involving right triangles. **G-SRT.C**

6. Understand that by similarity, side ratios in right triangles are properties of the angles in the triangle, leading to definitions of trigonometric ratios for acute angles. **G-SRT.C.6**
7. Explain and use the relationship between the sine and cosine of complementary angles. **G-SRT.C.7**
8. Use trigonometric ratios and the Pythagorean Theorem to solve right triangles in applied problems. **G-SRT.C.8**

### D. Apply trigonometry to general triangles. **G-SRT.D**

9. (+) Derive the formula  $A = \frac{1}{2} ab \sin(C)$  for the area of a triangle by drawing an auxiliary line from a vertex perpendicular to the opposite side. **G-SRT.D.9**
10. (+) Prove the Laws of Sines and Cosines and use them to solve problems. **G-SRT.D.10**
11. (+) Understand and apply the Law of Sines and the Law of Cosines to find unknown measurements in right and non-right triangles (e.g., surveying problems, resultant forces). **G-SRT.D.11**



## Circles

### A. Understand and apply theorems about circles. **G-C.A**

1. Prove that all circles are similar. **G-C.A.1**
2. Identify and describe relationships among inscribed angles, radii, and chords. Include the relationship between central, inscribed, and circumscribed angles; inscribed angles on a diameter are right angles; the radius of a circle is perpendicular to the tangent where the radius intersects the circle. **G-C.A.2**
3. Construct the inscribed and circumscribed circles of a triangle, and prove properties of angles for a quadrilateral and other polygons inscribed in a circle. **G-C.A.3**
4. (+) Construct a tangent line from a point outside a given circle to the circle. **G-C.A.4**

### B. Find arc lengths and areas of sectors of circles. **G-C.B**

5. Derive using similarity the fact that the length of the arc intercepted by an angle is proportional to the radius, and define the radian measure of the angle as the constant of proportionality; derive the formula for the area of a sector. **G-C.B.5**

## Expressing Geometric Properties with Equations

### A. Translate between the geometric description and the equation for a conic section. **G-GPE.A**

1. Derive the equation of a circle of given center and radius using the Pythagorean Theorem; complete the square to find the center and radius of a circle given by an equation. **G-GPE.A.1**
2. Derive the equation of a parabola given a focus and directrix. **G-GPE.A.2**
3. (+) Derive the equations of ellipses and hyperbolas given the foci, using the fact that the sum or difference of distances from the foci is constant. **G-GPE.A.3**
  - a. (+) Use equations and graphs of conic sections to model real-world problems. **G-GPE.A.3.A**

### B. Use coordinates to prove simple geometric theorems algebraically. **G-GPE.B**

4. Use coordinates to prove simple geometric theorems algebraically including the distance formula and its relationship to the Pythagorean Theorem. **G-GPE.B.4**
5. Prove the slope criteria for parallel and perpendicular lines and use them to solve geometric problems (e.g., find the equation of a line parallel or perpendicular to a given line that passes through a given point). **G-GPE.B.5**
6. Find the point on a directed line segment between two given points that partitions the segment in a given ratio. **G-GPE.B.6**
7. Use coordinates to compute perimeters of polygons and areas of triangles and rectangles (e.g., using the distance formula). **G-GPE.B.7**

## Geometric Measurement and Dimension

- A. Explain volume formulas and use them to solve problems. **G-GMD.A**
  - 1. Give an informal argument for the formulas for the circumference of a circle, area of a circle, volume of a cylinder, pyramid, and cone. Use dissection arguments, Cavalieri's principle, and informal limit arguments. **G-GMD.A.1**
  - 2. (+) Give an informal argument using Cavalieri's principle for the formulas for the volume of a sphere and other solid figures. **G-GMD.A.2**
  - 3. Use volume formulas for cylinders, pyramids, cones, and spheres to solve problems. **G-GMD.A.3**
- B. Visualize relationships between two-dimensional and three-dimensional objects. **G-GMD.B**
  - 4. Identify the shapes of two-dimensional cross sections of three-dimensional objects, and identify three-dimensional objects generated by rotations of two-dimensional objects. **G-GMD.B.4**

## Modeling with Geometry

- A. Apply geometric concepts in modeling situations. **G-MG.A**
  - 1. Use geometric shapes, their measures, and their properties to describe objects (e.g., modeling a tree trunk or a human torso as a cylinder). **G-MG.A.1**
  - 2. Apply concepts of density based on area and volume in modeling situations (e.g., persons per square mile, BTUs per cubic foot). **G-MG.A.2**
  - 3. Apply geometric methods to solve design problems (e.g., designing an object or structure to satisfy physical constraints or minimize cost; working with typographic grid systems based on ratios). **G-MG.A.3**
  - 4. Use dimensional analysis for unit conversions to confirm that expressions and equations make sense. **G-MG.A.4**

---

## Statistics and Probability

## Interpreting Categorical and Quantitative Data

- A. Summarize, represent, and interpret data on a single count or measurement variable. Use calculators, spreadsheets, and other technology as appropriate. **S-IS.A**
  - 1. Represent data with plots on the real number line (dot plots, histograms, and box plots). **S-IS.A.1**
  - 2. Use statistics appropriate to the shape of the data distribution to compare center (median, mean) and spread (interquartile range, standard deviation) of two or more different data sets. **S-IS.A.2**
  - 3. Interpret differences in shape, center, and spread in the context of the data sets, accounting for possible effects of extreme data points (outliers). **S-IS.A.3**
  - 4. Use the mean and standard deviation of a data set to fit it to a normal distribution and to estimate population percentages. Recognize that there are data sets for which such a procedure is not appropriate. Use calculators, spreadsheets, and tables to estimate areas under the normal curve. **S-IS.A.4**
- B. Summarize, represent, and interpret data on two categorical and quantitative variables. **S-IS.B**
  - 5. Summarize categorical data for two categories in two-way frequency tables. Interpret relative frequencies in the context of the data (including joint, marginal, and conditional relative frequencies). Recognize possible associations and trends in the data. **S-IS.B.5**
  - 6. Represent data on two quantitative variables on a scatter plot, and describe how the variables are related. **S-IS.B.6**
    - a. Fit a linear function to the data and use the fitted function to solve problems in the context of the data. Use functions fitted to data or choose a function suggested by the context. Emphasize linear and exponential models. **S-IS.B.6.A**
    - b. Informally assess the fit of a function by plotting and analyzing residuals. **S-IS.B.6.B**
    - c. Fit a linear function for a scatter plot that suggests a linear association. **S-IS.B.6.C**
- C. Interpret linear models. **S-IS.C**
  - 7. Interpret the slope (rate of change) and the intercept (constant term) of a linear model in the context of the data. **S-IS.C.7**
  - 8. Compute (using technology) and interpret the correlation coefficient of a linear fit. **S-IS.C.8**
  - 9. Distinguish between correlation and causation. **S-IS.C.9**

## Making Inferences and Justifying Conclusions

- A. Understand and evaluate random processes underlying statistical experiments. Use calculators, spreadsheets, and other technology as appropriate. **S-IC.A**
  - 1. Understand statistics as a process for making inferences about population parameters based on a random sample from that population. **S-IC.A.1**
  - 2. Decide if a specified model is consistent with results from a given data-generating process (e.g., using simulation). **S-IC.A.2**
- B. Make inferences and justify conclusions from sample surveys, experiments, and observational studies. **S-IC.B**
  - 3. Recognize the purposes of and differences among sample surveys, experiments, and observational studies; explain how randomization relates to each. **S-IC.B.3**
  - 4. Use data from a sample survey to estimate a population mean or proportion; develop a margin of error through the use of simulation models for random sampling. **S-IC.B.4**
  - 5. Use data from a randomized experiment to compare two treatments; use simulations to decide if differences between parameters are significant. **S-IC.B.5**
  - 6. Evaluate reports based on data. **S-IC.B.6**

## Conditional Probability and the Rules of Probability

- A.** Understand independence and conditional probability and use them to interpret data from simulations or experiments. **S-CP.A**
1. Describe events as subsets of a sample space (the set of outcomes) using characteristics (or categories) of the outcomes, or as unions, intersections, or complements of other events ("or," "and," "not"). **S-CP.A.1**
  2. Understand that two events A and B are independent if the probability of A and B occurring together is the product of their probabilities, and use this characterization to determine if they are independent. **S-CP.A.2**
  3. Understand the conditional probability of A given B as  $P(A \text{ and } B)/P(B)$ , and interpret independence of A and B as saying that the conditional probability of A given B is the same as the probability of A, and the conditional probability of B given A is the same as the probability of B. **S-CP.A.3**
  4. Construct and interpret two-way frequency tables of data when two categories are associated with each object being classified. Use the two-way table as a sample space to decide if events are independent and to approximate conditional probabilities. **S-CP.A.4**
  5. Recognize and explain the concepts of conditional probability and independence in everyday language and everyday situations. **S-CP.A.5**
- B.** Use the rules of probability to compute probabilities of compound events in a uniform probability model. **S-CP.B**
6. Find the conditional probability of A given B as the fraction of B's outcomes that also belong to A, and interpret the answer in terms of the model. **S-CP.B.6**
  7. Apply the Addition Rule,  $P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)$ , and interpret the answer in terms of the model. **S-CP.B.7**
  8. (+) Apply the general Multiplication Rule in a uniform probability model,  $P(A \text{ and } B) = P(A)P(B|A) = P(B)P(A|B)$ , and interpret the answer in terms of the model. **S-CP.B.8**
  9. (+) Use permutations and combinations to compute probabilities of compound events and solve problems. **S-CP.B.9**

## Using Probability to Make Decisions

- A. Calculate expected values and use them to solve problems. **S-MD.A**
  - 1. (+) Define a random variable for a quantity of interest by assigning a numerical value to each event in a sample space; graph the corresponding probability distribution using the same graphical displays as for data distributions. **S-MD.A.1**
  - 2. (+) Calculate the expected value of a random variable; interpret it as the mean of the probability distribution. **S-MD.A.2**
  - 3. (+) Develop a probability distribution for a random variable defined for a sample space in which theoretical probabilities can be calculated; find the expected value. **S-MD.A.3**
  - 4. (+) Develop a probability distribution for a random variable defined for a sample space in which probabilities are assigned empirically; find the expected value. **S-MD.A.4**
- B. Use probability to evaluate outcomes of decisions. **S-MD.B**
  - 5. (+) Weigh the possible outcomes of a decision by assigning probabilities to payoff values and finding expected values. **S-MD.B.5**
    - a. (+) Find the expected payoff for a game of chance. **S-MD.B.5.A**
    - b. (+) Evaluate and compare strategies on the basis of expected values. **S-MD.B.5.B**
  - 6. (+) Use probabilities to make fair decisions (e.g., drawing by lots or using a random number generator). **S-MD.B.6**
  - 7. (+) Analyze decisions and strategies using probability concepts (e.g., product testing, medical testing, or pulling a hockey goalie at the end of a game and replacing the goalie with an extra skater). **S-MD.B.7**

---

## Model Algebra

## Number and Quantity

### The Real Number System

- A. Extend the properties of exponents to rational exponents. **AI.N-RN.A**
  - 1. Explain how the definition of the meaning of rational exponents follows from extending the properties of integer exponents to those values, allowing for a notation for radicals in terms of rational exponents. **AI.N-RN.A.1**
  - 2. Rewrite expressions involving radicals and rational exponents using the properties of exponents. **AI.N-RN.A.2**
- B. Use properties of rational and irrational numbers. **AI.N-RN.B**
  - 3. Explain why the sum or product of two rational numbers is rational; that the sum of a rational number and an irrational number is irrational; and that the product of a nonzero rational number and an irrational number is irrational. **AI.N-RN.B.3**

## Quantities

- A. Reason quantitatively and use units to solve problems. [AI.N-Q.A](#)
    - 1. Use units as a way to understand problems and to guide the solution of multi-step problems; choose and interpret units consistently in formulas; choose and interpret the scale and the origin in graphs and data displays. [AI.N-Q.A.1](#)
    - 2. Define appropriate quantities for the purpose of descriptive modeling. [AI.N-Q.A.2](#)
    - 3. Choose a level of accuracy appropriate to limitations on measurement when reporting quantities. [AI.N-Q.A.3](#)
- 

## Algebra

### Seeing Structure in Expressions

- A. Interpret the structure of linear, quadratic, and exponential expressions with integer exponents. [AI.A-SSE.A](#)
  - 1. Interpret expressions that represent a quantity in terms of its context. [AI.A-SSE.A.1](#)
    - a. Interpret parts of an expression, such as terms, factors, and coefficients. [AI.A-SSE.A.1.A](#)
    - b. Interpret complicated expressions by viewing one or more of their parts as a single entity. [AI.A-SSE.A.1.B](#)
  - 2. Use the structure of an expression to identify ways to rewrite it. [AI.A-SSE.A.2](#)
- B. Write expressions in equivalent forms to solve problems. [AI.A-SSE.B](#)
  - 3. Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression. [AI.A-SSE.B.3](#)
    - a. Factor a quadratic expression to reveal the zeros of the function it defines. [AI.A-SSE.B.3.A](#)
    - b. Complete the square in a quadratic expression to reveal the maximum or minimum value of the function it defines. [AI.A-SSE.B.3.B](#)
    - c. Use the properties of exponents to transform expressions for exponential functions. [AI.A-SSE.B.3.C](#)

### Arithmetic with Polynomials and Rational Expressions

- A. Perform arithmetic operations on polynomials. [AI.A-APR.A](#)
  - 1. Understand that polynomials form a system analogous to the integers, namely, they are closed under certain operations. [AI.A-APR.A.1](#)
    - a. Perform operations on polynomial expressions (addition, subtraction, multiplication), and compare the system of polynomials to the system of integers when performing operations. [AI.A-APR.A.1.A](#)
    - b. Factor and/or expand polynomial expressions, identify and combine like terms, and apply the Distributive property. [AI.A-APR.A.1.B](#)

## Creating Equations

- A. Create equations that describe numbers or relationships. [AI.A-CED.A](#)
  - 1. Create equations and inequalities in one variable and use them to solve problems. (Include equations arising from linear, quadratic, and exponential functions with integer exponents.) [AI.A-CED.A.1](#)
  - 2. Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales. [AI.A-CED.A.2](#)
  - 3. Represent constraints by linear equations or inequalities, and by systems of linear equations and/or inequalities, and interpret solutions as viable or non-viable options in a modeling context. [AI.A-CED.A.3](#)
  - 4. Rearrange formulas to highlight a quantity of interest using the same reasoning as in solving equations (Properties of equality). [AI.A-CED.A.4](#)



## Reasoning with Equations and Inequalities

- A. Understand solving equations as a process of reasoning and explain the reasoning. **AI.A-REI.A**
  - 1. Explain each step in solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution. Construct a viable argument to justify or refute a solution method. **AI.A-REI.A.1**
- B. Solve equations and inequalities in one variable. **AI.A-REI.B**
  - 3. Solve linear equations and inequalities in one variable, including equations with coefficients represented by letters. **AI.A-REI.B.3**
    - a. Solve linear equations and inequalities in one variable involving absolute value. **AI.A-REI.B.3.A**
  - 4. Solve quadratic equations in one variable. **AI.A-REI.B.4**
    - a. Use the method of completing the square to transform any quadratic equation in  $x$  into an equation of the form  $(x - p)^2 = q$  that has the same solutions. Derive the quadratic formula from this form. **AI.A-REI.B.4.A**
    - b. Solve quadratic equations by inspection (e.g., for  $x^2 = 49$ ), taking square roots, completing the square, the quadratic formula, and factoring, as appropriate to the initial form of the equation. Recognize when the solutions of a quadratic equation results in non-real solutions and write them as  $a \pm bi$  for real numbers  $a$  and  $b$ . **AI.A-REI.B.4.B**
- C. Solve systems of equations. **AI.A-REI.C**
  - 5. Prove that, given a system of two equations in two variables, replacing one equation by the sum of that equation and a multiple of the other produces a system with the same solutions. **AI.A-REI.C.5**
  - 6. Solve systems of linear equations exactly and approximately (e.g., with graphs), focusing on pairs of linear equations in two variables. **AI.A-REI.C.6**
  - 7. Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. **AI.A-REI.C.7**

**D.** Represent and solve equations and inequalities graphically. **AI.A-REI.D**

- 10.** Understand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line). Show that any point on the graph of an equation in two variables is a solution to the equation. **AI.A-REI.D.10**
  - 11.** Explain why the x-coordinates of the points where the graphs of the equations  $y = f(x)$  and  $y = g(x)$  intersect are the solutions of the equation  $f(x) = g(x)$ ; find the solutions approximately, e.g., using technology to graph the functions and make tables of values. Include cases where  $f(x)$  and/or  $g(x)$  are linear and exponential functions. **AI.A-REI.D.11**
  - 12.** Graph the solutions of a linear inequality in two variables as a half-plane (excluding the boundary in the case of a strict inequality), and graph the solution set of a system of linear inequalities in two variables as the intersection of the corresponding half-planes. **AI.A-REI.D.12**
- 

**Functions**

## Interpreting Functions

- A. Understand the concept of a function and use function notation. **AI.F-IF.A**
1. Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range. If  $f$  is a function and  $x$  is an element of its domain, then  $f(x)$  denotes the output (range) of  $f$  corresponding to the input  $x$ . The graph of  $f$  is the graph of the equation  $y = f(x)$ . **AI.F-IF.A.1**
  2. Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context. **AI.F-IF.A.2**
  3. Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. **AI.F-IF.A.3**
- B. Interpret linear, quadratic, and exponential functions with integer exponents that arise in applications in terms of the context. **AI.F-IF.B**
4. For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; and end behavior. **AI.F-IF.B.4**
  5. Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. **AI.F-IF.B.5**
  6. Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph. **AI.F-IF.B.6**

C. Analyze functions using different representations. **AI.F-IF.C**

7. Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases. **AI.F-IF.C.7**
  - a. Graph linear and quadratic functions and show intercepts, maxima, and minima. **AI.F-IF.C.7.A**
  - b. Graph piecewise-defined functions, including step functions and absolute value functions. **AI.F-IF.C.7.B**
  - e. Graph exponential functions showing intercepts and end behavior. **AI.F-IF.C.7.E**
8. Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function. **AI.F-IF.C.8**
  - a. Use the process of factoring and completing the square in a quadratic function to show zeros, maximum/minimum values, and symmetry of the graph, and interpret these in terms of a context. **AI.F-IF.C.8.A**
  - b. Use the properties of exponents to interpret expressions for exponential functions. Apply to financial situations such as identifying appreciation and depreciation rate for the value of a house or car some time after its initial purchase: . **AI.F-IF.C.8.B**
9. Translate among different representations of functions (algebraically, graphically, numerically in tables, or by verbal descriptions). Compare properties of two functions each represented in a different way. **AI.F-IF.C.9**

## Building Functions

- A.** Build a function that models a relationship between two quantities. **AI.F-BF.A**
1. Write linear, quadratic, and exponential functions that describe a relationship between two quantities. **AI.F-BF.A.1**
    - a. Determine an explicit expression, a recursive process, or steps for calculation from a context. **AI.F-BF.A.1.A**
    - b. Combine standard function types using arithmetic operations. **AI.F-BF.A.1.B**
  2. Write arithmetic and geometric sequences both recursively and with an explicit formula them to model situations, and translate between the two forms. **AI.F-BF.A.2**
- B.** Build new functions from existing functions. **AI.F-BF.B**
3. Identify the effect on the graph of replacing  $f(x)$  by  $f(x) + k$ ,  $kf(x)$ ,  $f(kx)$ , and  $f(x + k)$  for specific values of  $k$  (both positive and negative); find the value of  $k$  given the graphs. Include linear, quadratic, exponential, and absolute value functions. Utilize technology to experiment with cases and illustrate an explanation of the effects on the graph. **AI.F-BF.B.3**
  4. Find inverse functions algebraically and graphically. **AI.F-BF.B.4**
    - a. Solve an equation of the form  $f(x) = c$  for a linear function  $f$  that has an inverse and write an expression for the inverse. **AI.F-BF.B.4.A**

## Linear, Quadratic, and Exponential Models

- A. Construct and compare linear, quadratic, and exponential models and solve problems. **AI.F-LE.A**
  - 1. Distinguish between situations that can be modeled with linear functions and with exponential functions. **AI.F-LE.A.1**
    - a. Prove that linear functions grow by equal differences over equal intervals, and that exponential functions grow by equal factors over equal intervals. **AI.F-LE.A.1.A**
    - b. Recognize situations in which one quantity changes at a constant rate per unit interval relative to another. **AI.F-LE.A.1.B**
    - c. Recognize situations in which a quantity grows or decays by a constant percent rate per unit interval relative to another. **AI.F-LE.A.1.C**
  - 2. Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship, or two input-output pairs (including reading these from a table). **AI.F-LE.A.2**
  - 3. Observe, using graphs and tables, that a quantity increasing exponentially eventually exceeds a quantity increasing linearly, quadratically, or (more generally) as a polynomial function. **AI.F-LE.A.3**
- B. Interpret expressions for functions in terms of the situation they model. **AI.F-LE.B**
  - 5. Interpret the parameters in a linear or exponential function (of the form  $f(x) = bx + k$ ) in terms of a context. **AI.F-LE.B.5**

---

## Statistics and Probability

## Interpreting Categorical and Quantitative Data

- A. Summarize, represent, and interpret data on a single count or measurement variable. Use calculators, spreadsheets, and other technology as appropriate. **AI.S-ID.A**
  - 1. Represent data with plots on the real number line (dot plots, histograms, and box plots). **AI.S-ID.A.1**
  - 2. Use statistics appropriate to the shape of the data distribution to compare center (median, mean) and spread (interquartile range, standard deviation) of two or more different data sets. **AI.S-ID.A.2**
  - 3. Interpret differences in shape, center, and spread in the context of the data sets, accounting for possible effects of extreme data points (outliers). **AI.S-ID.A.3**
- B. Summarize, represent, and interpret data on two categorical and quantitative variables. **AI.S-ID.B**
  - 5. Summarize categorical data for two categories in two-way frequency tables. Interpret relative frequencies in the context of the data (including joint, marginal, and conditional relative frequencies). Recognize possible associations and trends in the data. **AI.S-ID.B.5**
  - 6. Represent data on two quantitative variables on a scatter plot, and describe how the variables are related. **AI.S-ID.B.6**
    - a. Fit a linear function to the data and use the fitted function to solve problems in the context of the data. Use functions fitted to data or choose a function suggested by the context (emphasize linear and exponential models). **AI.S-ID.B.6.A**
    - b. Informally assess the fit of a function by plotting and analyzing residuals. **AI.S-ID.B.6.B**
    - c. Fit a linear function for a scatter plot that suggests a linear association. **AI.S-ID.B.6.C**
- C. Interpret linear models. **AI.S-ID.C**
  - 7. Interpret the slope (rate of change) and the intercept (constant term) of a linear model in the context of the data. **AI.S-ID.C.7**
  - 8. Compute (using technology) and interpret the correlation coefficient of a linear fit. **AI.S-ID.C.8**
  - 9. Distinguish between correlation and causation. **AI.S-ID.C.9**

## Quantities

- A. Reason quantitatively and use units to solve problems. **GE0.N-Q.A**
  - 3. Choose a level of accuracy appropriate to limitations on measurement when reporting quantities. **GE0.N-Q.A.3**
    - a. Describe the effects of approximate error in measurement and rounding on measurements and on computed values from measurements. Identify significant figures in recorded measures and computed values based on the context given and the precision of the tools used to measure **GE0.N-Q.A.3.A**
- 

## Geometry



## Congruence

### A. Experiment with transformations in the plane. [GEO.G-CO.A](#)

1. Know precise definitions of angle, circle, perpendicular line, parallel line, and line segment, based on the undefined notions of point, line, distance along a line, and distance around a circular arc. [GEO.G-CO.A.1](#)
2. Represent transformations in the plane using, e.g., transparencies and geometry software; describe transformations as functions that take points in the plane as inputs and give other points as outputs. Compare transformations that preserve distance and angle to those that do not (e.g., translation versus horizontal stretch). [GEO.G-CO.A.2](#)
3. Given a rectangle, parallelogram, trapezoid, or regular polygon, describe the rotations and reflections that carry it onto itself. [GEO.G-CO.A.3](#)
4. Develop definitions of rotations, reflections, and translations in terms of angles, circles, perpendicular lines, parallel lines, and line segments. [GEO.G-CO.A.4](#)
5. Given a geometric figure and a rotation, reflection, or translation, draw the transformed figure using graph paper, tracing paper, or geometry software. Specify a sequence of transformations that will carry a given figure onto another. [GEO.G-CO.A.5](#)

### B. Understand congruence in terms of rigid motions. [GEO.G-CO.B](#)

6. Use geometric descriptions of rigid motions to transform figures and to predict the effect of a given rigid motion on a given figure; given two figures, use the definition of congruence in terms of rigid motions to decide if they are congruent. [GEO.G-CO.B.6](#)
7. Use the definition of congruence in terms of rigid motions to show that two triangles are congruent if and only if corresponding pairs of sides and corresponding pairs of angles are congruent. [GEO.G-CO.B.7](#)
8. Explain how the criteria for triangle congruence (ASA, SAS, and SSS) follow from the definition of congruence in terms of rigid motions. [GEO.G-CO.B.8](#)

- C. Prove geometric theorems and, when appropriate, the converse of theorems. [GEO.G-CO.C](#)
9. Prove theorems about lines and angles. Theorems include: vertical angles are congruent; when a transversal crosses parallel lines, alternate interior angles are congruent and corresponding angles are congruent, and conversely prove lines are parallel; points on a perpendicular bisector of a line segment are exactly those equidistant from the segment's endpoints. [GEO.G-CO.C.9](#)
  10. Prove theorems about triangles. Theorems include: measures of interior angles of a triangle sum to  $180^\circ$ ; base angles of isosceles triangles are congruent, and conversely prove a triangle is isosceles; the segment joining midpoints of two sides of a triangle is parallel to the third side and half the length; the medians of a triangle meet at a point. [GEO.G-CO.C.10](#)
  11. Prove theorems about parallelograms. Theorems include: opposite sides are congruent, opposite angles are congruent, the diagonals of a parallelogram bisect each other, and conversely, rectangles are parallelograms with congruent diagonals. [GEO.G-CO.C.11](#)
    - a. Prove theorems about polygons. Theorems include the measures of interior and exterior angles. Apply properties of polygons to the solutions of mathematical and contextual problems. [GEO.G-CO.C.11.A](#)
- D. Make geometric constructions. [GEO.G-CO.D](#)
12. Make formal geometric constructions with a variety of tools and methods (compass and straightedge, string, reflective devices, paper folding, dynamic geometric software, etc.). Constructions include: copying a segment; copying an angle; bisecting a segment; bisecting an angle; constructing perpendicular lines, including the perpendicular bisector of a line segment; and constructing a line parallel to a given line through a point not on the line. [GEO.G-CO.D.12](#)
  13. Construct an equilateral triangle, a square, and a regular hexagon inscribed in a circle. [GEO.G-CO.D.13](#)

## Similarity, Right Triangles, and Trigonometry

- A. Understand similarity in terms of similarity transformations. [GEO.G-SRT.A](#)**
1. Verify experimentally the properties of dilations given by a center and a scale factor: [GEO.G-SRT.A.1](#)
    - a. A dilation takes a line not passing through the center of the dilation to a parallel line, and leaves a line passing through the center unchanged. [GEO.G-SRT.A.1.A](#)
    - b. The dilation of a line segment is longer or shorter in the ratio given by the scale factor. [GEO.G-SRT.A.1.B](#)
  2. Given two figures, use the definition of similarity in terms of similarity transformations to decide if they are similar; explain using similarity transformations the meaning of similarity for triangles as the equality of all corresponding pairs of angles and the proportionality of all corresponding pairs of sides. [GEO.G-SRT.A.2](#)
  3. Use the properties of similarity transformations to establish the Angle-Angle (AA) criterion for two triangles to be similar. [GEO.G-SRT.A.3](#)
- B. Prove theorems involving similarity. [GEO.G-SRT.B](#)**
4. Prove theorems about triangles. Theorems include: a line parallel to one side of a triangle divides the other two proportionally, and conversely; the Pythagorean Theorem proved using triangle similarity. [GEO.G-SRT.B.4](#)
  5. Use congruence and similarity criteria for triangles to solve problems and to prove relationships in geometric figures. [GEO.G-SRT.B.5](#)
- C. Define trigonometric ratios and solve problems involving right triangles. [GEO.G-SRT.C](#)**
6. Understand that by similarity, side ratios in right triangles are properties of the angles in the triangle, leading to definitions of trigonometric ratios for acute angles. [GEO.G-SRT.C.6](#)
  7. Explain and use the relationship between the sine and cosine of complementary angles. [GEO.G-SRT.C.7](#)
  8. Use trigonometric ratios and the Pythagorean Theorem to solve right triangles in applied problems. [GEO.G-SRT.C.8](#)
- D. Apply trigonometry to general triangles. [GEO.G-SRT.D](#)**
9. (+) Derive the formula  $A = \frac{1}{2} ab \sin(C)$  for the area of a triangle by drawing an auxiliary line from a vertex perpendicular to the opposite side. [GEO.G-SRT.D.9](#)
  10. (+) Prove the Laws of Sines and Cosines and use them to solve problems. [GEO.G-SRT.D.10](#)
  11. (+) Understand and apply the Law of Sines and the Law of Cosines to find unknown measurements in right and non-right triangles (e.g., surveying problems, resultant forces). [GEO.G-SRT.D.11](#)

## Circles

- A. Understand and apply theorems about circles. **GE0.G-C.A**
1. Prove that all circles are similar. **GE0.G-C.A.1**
  2. Identify and describe relationships among inscribed angles, radii, and chords. Include the relationship between central, inscribed, and circumscribed angles; inscribed angles on a diameter are right angles; the radius of a circle is perpendicular to the tangent where the radius intersects the circle. **GE0.G-C.A.2**
  3. Construct the inscribed and circumscribed circles of a triangle, and prove properties of angles for a quadrilateral and other polygons inscribed in a circle. **GE0.G-C.A.3**
  4. (+) Construct a tangent line from a point outside a given circle to the circle. **GE0.G-C.A.4**
- B. Find arc lengths and areas of sectors of circles. **GE0.G-C.B**
5. Derive, using similarity, the fact that the length of the arc intercepted by an angle is proportional to the radius, and define the radian measure of the angle as the constant of proportionality; derive the formula for the area of a sector. **GE0.G-C.B.5**

## Expressing Geometric Properties with Equations

- A. Translate between the geometric description and the equation for a conic section. **GE0.G-GPE.A**
1. Derive the equation of a circle of given center and radius using the Pythagorean Theorem; complete the square to find the center and radius of a circle given by an equation. **GE0.G-GPE.A.1**
  2. Derive the equation of a parabola given a focus and directrix. **GE0.G-GPE.A.2**
- B. Use coordinates to prove simple geometric theorems algebraically. **GE0.G-GPE.B**
4. Use coordinates to prove simple geometric theorems algebraically, including the distance formula and its relationship to the Pythagorean Theorem. **GE0.G-GPE.B.4**
  5. Prove the slope criteria for parallel and perpendicular lines and use them to solve geometric problems (e.g., find the equation of a line parallel or perpendicular to a given line that passes through a given point). **GE0.G-GPE.B.5**
  6. Find the point on a directed line segment between two given points that partitions the segment in a given ratio. **GE0.G-GPE.B.6**
  7. Use coordinates to compute perimeters of polygons and areas of triangles and rectangles (e.g., using the distance formula). **GE0.G-GPE.B.7**

## Geometric Measurement and Dimension

- A. Explain volume formulas and use them to solve problems. [GEO.G-GMD.A](#)
  - 1. Give an informal argument for the formulas for the circumference of a circle, area of a circle, volume of a cylinder, pyramid, and cone. Use dissection arguments, Cavalieri's principle, and informal limit arguments. [GEO.G-GMD.A.1](#)
  - 2. (+) Give an informal argument using Cavalieri's principle for the formulas for the volume of a sphere and other solid figures. [GEO.G-GMD.A.2](#)
  - 3. Use volume formulas for cylinders, pyramids, cones, and spheres to solve problems. [GEO.G-GMD.A.3](#)
- B. Visualize relationships between two-dimensional and three-dimensional objects. [GEO.G-GMD.B](#)
  - 4. Identify the shapes of two-dimensional cross-sections of three-dimensional objects, and identify three-dimensional objects generated by rotations of two-dimensional objects. [GEO.G-GMD.B.4](#)

## Modeling with Geometry

- A. Apply geometric concepts in modeling situations. [GEO.G-MG.A](#)
  - 1. Use geometric shapes, their measures, and their properties to describe objects (e.g., modeling a tree trunk or a human torso as a cylinder). [GEO.G-MG.A.1](#)
  - 2. Apply concepts of density based on area and volume in modeling situations (e.g., persons per square mile, BTUs per cubic foot). [GEO.G-MG.A.2](#)
  - 3. Apply geometric methods to solve design problems (e.g., designing an object or structure to satisfy physical constraints or minimize cost; working with typographic grid systems based on ratios). [GEO.G-MG.A.3](#)
  - 4. Use dimensional analysis for unit conversions to confirm that expressions and equations make sense. [GEO.G-MG.A.4](#)

---

## Statistics and Probability

## Conditional Probability and the Rules of Probability

- A. Understand independence and conditional probability and use them to interpret data from simulations or experiments. **GE0.S-CP.A**
1. Describe events as subsets of a sample space (the set of outcomes) using characteristics (or categories) of the outcomes, or as unions, intersections, or complements of other events ("or," "and," "not"). **GE0.S-CP.A.1**
  2. Understand that two events A and B are independent if the probability of A and B occurring together is the product of their probabilities, and use this characterization to determine if they are independent. **GE0.S-CP.A.2**
  3. Understand the conditional probability of A given B as  $P(A \text{ and } B)/P(B)$ , and interpret independence of A and B as saying that the conditional probability of A given B is the same as the probability of A, and the conditional probability of B given A is the same as the probability of B. **GE0.S-CP.A.3**
  4. Construct and interpret two-way frequency tables of data when two categories are associated with each object being classified. Use the two-way table as a sample space to decide if events are independent and to approximate conditional probabilities. **GE0.S-CP.A.4**
  5. Recognize and explain the concepts of conditional probability and independence in everyday language and everyday situations. **GE0.S-CP.A.5**
- B. Use the rules of probability to compute probabilities of compound events in a uniform probability model. **GE0.S-CP.B**
6. Find the conditional probability of A given B as the fraction of B's outcomes that also belong to A, and interpret the answer in terms of the model. **GE0.S-CP.B.6**
  7. Apply the Addition Rule,  $P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)$ , and interpret the answer in terms of the model. **GE0.S-CP.B.7**
  8. (+) Apply the general Multiplication Rule in a uniform probability model,  $P(A \text{ and } B) = P(A)P(B|A) = P(B)P(A|B)$ , and interpret the answer in terms of the model. **GE0.S-CP.B.8**
  9. (+) Use permutations and combinations to compute probabilities of compound events and solve problems. **GE0.S-CP.B.9**

## The Complex Number System

- A. Perform arithmetic operations with complex numbers. [AII.N-CN.A](#)
  - 1. Know there is a complex number  $i$  such that  $i^2 = -1$ , and every complex number has the form  $a + bi$  with  $a$  and  $b$  real. [AII.N-CN.A.1](#)
  - 2. Use the relation  $i^2 = -1$  and the Commutative, Associative, and Distributive properties to add, subtract, and multiply complex numbers. [AII.N-CN.A.2](#)
- C. Use complex numbers in polynomial identities and equations. [AII.N-CN.C](#)
  - 7. Solve quadratic equations with real coefficients that have complex solutions. [AII.N-CN.C.7](#)
  - 8. (+) Extend polynomial identities to the complex numbers. [AII.N-CN.C.8](#)
  - 9. (+) Know the Fundamental Theorem of Algebra; show that it is true for quadratic polynomials. [AII.N-CN.C.9](#)

## Vector and Matrix Quantities

- A. Represent and model with vector quantities. [AII.N-VM.A](#)
  - 1. (+) Recognize vector quantities as having both magnitude and direction. Represent vector quantities by directed line segments, and use appropriate symbols for vectors and their magnitudes (e.g.,  $\mathbf{v}$ ,  $|\mathbf{v}|$ ,  $\|\mathbf{v}\|$ ,  $v$ ). [AII.N-VM.A.1](#)
  - 3. (+) Solve problems involving velocity and other quantities that can be represented by vectors. [AII.N-VM.A.3](#)
- C. Perform operations on matrices and use matrices in applications. [AII.N-VM.C](#)
  - 6. (+) Use matrices to represent and manipulate data, e.g., to represent payoffs or incidence relationships in a network. [AII.N-VM.C.6](#)
  - 8. (+) Add, subtract, and multiply matrices of appropriate dimensions. [AII.N-VM.C.8](#)
  - 12. (+) Work with  $2 \times 2$  matrices as transformations of the plane, and interpret the absolute value of the determinant in terms of area. [AII.N-VM.C.12](#)

---

## Algebra

## Seeing Structure in Expressions

- A. Interpret the structure of exponential, polynomial, and rational expressions. **AII.A-SSE.A**
  - 1. Interpret expressions that represent a quantity in terms of its context. **AII.A-SSE.A.1**
    - a. Interpret parts of an expression, such as terms, factors, and coefficients. **AII.A-SSE.A.1.A**
    - b. Interpret complicated expressions by viewing one or more of their parts as a single entity. **AII.A-SSE.A.1.B**
  - 2. Use the structure of an expression to identify ways to rewrite it. **AII.A-SSE.A.2**
- B. Write expressions in equivalent forms to solve problems. **AII.A-SSE.B**
  - 4. Derive the formula for the sum of a finite geometric series (when the common ratio is not 1), and use the formula to solve problems. **AII.A-SSE.B.4**



## Arithmetic with Polynomials and Rational Expressions

### A. Perform arithmetic operations on polynomials. [AII.A-APR.A](#)

1. Understand that polynomials form a system analogous to the integers, namely, they are closed under certain operations. [AII.A-APR.A.1](#)
  - a. Perform operations on polynomial expressions (addition, subtraction, multiplication, and division), and compare the system of polynomials to the system of integers when performing operations. [AII.A-APR.A.1.A](#)

### B. Understand the relationship between zeros and factors of polynomials. [AII.A-APR.B](#)

2. Know and apply the Remainder Theorem: For a polynomial  $p(x)$  and a number  $a$ , the remainder on division by  $x - a$  is  $p(a)$ , so  $p(a) = 0$  if and only if  $(x - a)$  is a factor of  $p(x)$ . [AII.A-APR.B.2](#)
3. Identify zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial. [AII.A-APR.B.3](#)

### C. Use polynomial identities to solve problems. [AII.A-APR.C](#)

4. Prove polynomial identities and use them to describe numerical relationships. [AII.A-APR.C.4](#)
5. (+) Know and apply the Binomial Theorem for the expansion of  $(x + y)^n$  in powers of  $x$  and  $y$  for a positive integer  $n$ , where  $x$  and  $y$  are any numbers, with coefficients determined for example by Pascal's Triangle. [AII.A-APR.C.5](#)

### D. Rewrite rational expressions. [AII.A-APR.D](#)

6. Rewrite simple rational expressions in different forms; write  $a(x)/b(x)$  in the form  $q(x) + r(x)/b(x)$ , where  $a(x)$ ,  $b(x)$ ,  $q(x)$ , and  $r(x)$  are polynomials with the degree of  $r(x)$  less than the degree of  $b(x)$ , using inspection, long division, or, for the more complicated examples, a computer algebra system. [AII.A-APR.D.6](#)
7. (+) Understand that rational expressions form a system analogous to the rational numbers, closed under addition, subtraction, multiplication, and division by a nonzero rational expression; add, subtract, multiply, and divide rational expressions. [AII.A-APR.D.7](#)

## Creating Equations

- A. Create equations that describe numbers or relationships. [AII.A-CED.A](#)
  - 1. Create equations and inequalities in one variable and use them to solve problems. Include equations arising from simple root and rational functions and exponential functions. [AII.A-CED.A.1](#)
  - 2. Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales. [AII.A-CED.A.2](#)
  - 3. Represent constraints by equations or inequalities, and by systems of equations and/or inequalities, and interpret solutions as viable or non-viable options in a modeling context. [AII.A-CED.A.3](#)

## Reasoning with Equations and Inequalities

- A. Understand solving equations as a process of reasoning and explain the reasoning. [AII.A-REI.A](#)
  - 2. Solve simple rational and radical equations in one variable, and give examples showing how extraneous solutions may arise. [AII.A-REI.A.2](#)
- D. Represent and solve equations and inequalities graphically. [AII.A-REI.D](#)
  - 11. Explain why the x-coordinates of the points where the graphs of the equations  $y = f(x)$  and  $y = g(x)$  intersect are the solutions of the equation  $f(x) = g(x)$ ; find the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where  $f(x)$  and/or  $g(x)$  are polynomial, rational, and logarithmic functions. [AII.A-REI.D.11](#)

---

## Functions

## Interpreting Functions

- B.** Interpret functions that arise in applications in terms of the context (polynomial, rational, square root and cube root, trigonometric, and logarithmic functions). **AII.F-IF.B**
- 4.** For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. **AII.F-IF.B.4**
  - 5.** Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. **AII.F-IF.B.5**
  - 6.** Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph. **AII.F-IF.B.6**
- C.** Analyze functions using different representations. **AII.F-IF.C**
- 7.** Graph functions expressed symbolically and show key features of the graph; by hand in simple cases and using technology for more complicated cases. **AII.F-IF.C.7**
    - b.** Graph square root and cube root functions. **AII.F-IF.C.7.B**
    - c.** Graph polynomial functions, identifying zeros when suitable factorizations are available, and showing end behavior. **AII.F-IF.C.7.C**
    - e.** Graph exponential and logarithmic functions, showing intercepts and end behavior; and trigonometric functions, showing period, midline, and amplitude. **AII.F-IF.C.7.E**
  - 8.** Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function. **AII.F-IF.C.8**
    - a.** Use the process of factoring in a polynomial to function to show zeros, extreme values, and symmetry of the graph and interpret these in terms of a context. **AII.F-IF.C.8.A**
  - 9.** Translate among different representations of functions (algebraically, graphically, numerically in tables, or by verbal descriptions). Compare properties of two functions each represented in a different way. **AII.F-IF.C.9**
  - 10.** Given algebraic, numeric and/or graphical representations of functions, recognize the function as polynomial, rational, logarithmic, exponential, or trigonometric. **AII.F-IF.C.10**

## Building Functions

- A. Build a function that models a relationship between two quantities. **AII.F-BF.A**
  - 1. Write a function (simple rational, radical, logarithmic, and trigonometric functions) that describes a relationship between two quantities. **AII.F-BF.A.1**
  - b. Combine standard function types using arithmetic operations. **AII.F-BF.A.1.B**
- B. Build new functions from existing functions. **AII.F-BF.B**
  - 3. Identify the effect on the graph of replacing  $f(x)$  by  $f(x) + k$ ,  $kf(x)$ ,  $f(kx)$ , and  $f(x + k)$  for specific values of  $k$  (both positive and negative); find the value of  $k$  given the graphs. Include simple rational, radical, logarithmic, and trigonometric functions. Utilize technology to experiment with cases and illustrate an explanation of the effects on the graph using technology. Include recognizing even and odd functions from their graphs and algebraic expressions for them. **AII.F-BF.B.3**
  - 4. Find inverse functions algebraically and graphically. **AII.F-BF.B.4**
    - a. Solve an equation of the form  $f(x) = c$  for a simple function  $f$  that has an inverse and write an expression for the inverse. **AII.F-BF.B.4.A**

## Linear, Quadratic, and Exponential Models

- A. Construct and compare linear, quadratic, and exponential models and solve problems. **AII.F-LE.A**
  - 4. For exponential models, express as a logarithm the solution to  $ab^{ct} = d$  where  $a$ ,  $c$ , and  $d$  are numbers and the base  $b$  is 2, 10, or  $e$ ; evaluate the logarithm using technology. **AII.F-LE.A.4**

## Trigonometric Functions

- A. Extend the domain of trigonometric functions using the unit circle. **AII.F-TF.A**
  - 1. Understand radian measure of an angle as the length of the arc on the unit circle subtended by the angle. **AII.F-TF.A.1**
  - 2. Explain how the unit circle in the coordinate plane enables the extension of trigonometric functions to all real numbers, interpreted as radian measures of angles traversed counterclockwise around the unit circle. **AII.F-TF.A.2**
- B. Model periodic phenomena with trigonometric functions. **AII.F-TF.B**
  - 5. Choose trigonometric functions to model periodic phenomena with specified amplitude, frequency, and midline. **AII.F-TF.B.5**
- C. Prove and apply trigonometric identities. **AII.F-TF.C**
  - 8. Prove the Pythagorean identity  $\sin^2(\theta) + \cos^2(\theta) = 1$  and use it to find  $\sin(\theta)$ ,  $\cos(\theta)$ , or  $\tan(\theta)$  given  $\sin(\theta)$ ,  $\cos(\theta)$ , or  $\tan(\theta)$  and the quadrant. **AII.F-TF.C.8**

---

## Statistics and Probability

## Interpreting Categorical and Quantitative Data

- A. Summarize, represent, and interpret data on a single count or measurement variable. Use calculators, spreadsheets, and other technology as appropriate. **AII.S-ID.A**
  - 4. Use the mean and standard deviation of a data set to fit it to a normal distribution and to estimate population percentages. Recognize that there are data sets for which such a procedure is not appropriate. Use calculators, spreadsheets, and tables to estimate areas under the normal curve. **AII.S-ID.A.4**

## Making Inferences and Justifying Conclusions

- A. Understand and evaluate random processes underlying statistical experiments. **AII.S-IC.A**
  - 1. Understand statistics as a process for making inferences to be made about population parameters based on a random sample from that population. **AII.S-IC.A.1**
  - 2. Decide if a specified model is consistent with results from a given data-generating process, e.g., using simulation. **AII.S-IC.A.2**
- B. Make inferences and justify conclusions from sample surveys, experiments, and observational studies. **AII.S-IC.B**
  - 3. Recognize the purposes of and differences among sample surveys, experiments, and observational studies; explain how randomization relates to each. **AII.S-IC.B.3**
  - 4. Use data from a sample survey to estimate a population mean or proportion; develop a margin of error through the use of simulation models for random sampling. **AII.S-IC.B.4**
  - 5. Use data from a randomized experiment to compare two treatments; use simulations to decide if differences between parameters are significant. **AII.S-IC.B.5**
  - 6. Evaluate reports based on data. **AII.S-IC.B.6**

## Using Probability to Make Decisions

- B. Use probability to evaluate outcomes of decisions. **AII.S-MD.B**
  - 6. (+) Use probabilities to make fair decisions (e.g., drawing by lots, using a random number generator). **AII.S-MD.B.6**
  - 7. (+) Analyze decisions and strategies using probability concepts (e.g., product testing, medical testing, pulling a hockey goalie at the end of a game and replacing the goalie with an extra skater). **AII.S-MD.B.7**

## Quantities

- A. Reason quantitatively and use units to solve problems. **MI.N-Q.A**
    - 1. Use units as a way to understand problems; and to guide the solution of multi-step problems; choose and interpret units consistently in formulas; choose and interpret the scale and the origin in graphs and data displays. **MI.N-Q.A.1**
    - 2. Define appropriate quantities for the purpose of descriptive modeling. **MI.N-Q.A.2**
    - 3. Choose a level of accuracy appropriate to limitations on measurement when reporting quantities. **MI.N-Q.A.3**
- 

## Algebra

### Seeing Structure in Expressions

- A. Interpret the structure of linear and exponential expressions with integer exponents. **MI.A-SSE.A**
  - 1. Interpret expressions that represent a quantity in terms of its context. **MI.A-SSE.A.1**
    - a. Interpret parts of an expression, such as terms, factors, and coefficients. **MI.A-SSE.A.1.A**
    - b. Interpret complicated expressions by viewing one or more of their parts as a single entity. **MI.A-SSE.A.1.B**

### Creating Equations

- A. Create equations that describe numbers or relationships. **MI.A-CED.A**
  - 1. Create equations and inequalities in one variable and use them to solve problems. Include equations arising from linear and exponential functions with integer exponents. **MI.A-CED.A.1**
  - 2. Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales. **MI.A-CED.A.2**
  - 3. Represent constraints by linear equations or inequalities, and by systems of linear equations and/or inequalities, and interpret solutions as viable or non-viable options in a modeling context. **MI.A-CED.A.3**
  - 4. Rearrange formulas to highlight a quantity of interest, using the same reasoning (Properties of equality) as in solving equations. **MI.A-CED.A.4**

## Reasoning with Equations and Inequalities

- A. Understand solving equations as a process of reasoning and explain the reasoning. **MI.A-REI.A**
  - 1. Explain each step in solving a simple linear equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution. Construct a viable argument to justify or refute a solution method. **MI.A-REI.A.1**
- B. Solve equations and inequalities in one variable. **MI.A-REI.B**
  - 3. Solve linear equations and inequalities in one variable, including equations with coefficients represented by letters. **MI.A-REI.B.3**
    - a. Solve linear equations and inequalities in one variable involving absolute value. **MI.A-REI.B.3.A**
- C. Solve systems of equations. **MI.A-REI.C**
  - 5. Prove that, given a system of two equations in two variables, replacing one equation by the sum of that equation and a multiple of the other produces a system with the same solutions. **MI.A-REI.C.5**
  - 6. Solve systems of linear equations exactly and approximately (e.g., with graphs), focusing on pairs of linear equations in two variables. **MI.A-REI.C.6**
- D. Represent and solve equations and inequalities graphically. **MI.A-REI.D**
  - 10. Understand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line). Show that any point on the graph of an equation in two variables is a solution to the equation. **MI.A-REI.D.10**
  - 11. Explain why the x-coordinates of the points where the graphs of the equations  $y = f(x)$  and  $y = g(x)$  intersect are the solutions of the equation  $f(x) = g(x)$ ; find the solutions approximately, e.g., using technology to graph the functions and/or make tables of values. Include cases where  $f(x)$  and/or  $g(x)$  are linear and exponential functions. **MI.A-REI.D.11**
  - 12. Graph the solutions of a linear inequality in two variables as a half-plane (excluding the boundary in the case of a strict inequality), and graph the solution set of a system of linear inequalities in two variables as the intersection of the corresponding half-planes. **MI.A-REI.D.12**

---

## Functions

## Interpreting Functions

- A. Understand the concept of a function and use function notation. **MI.F-IF.A**
1. Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range. If  $f$  is a function and  $x$  is an element of its domain, then  $f(x)$  denotes the output of  $f$  corresponding to the input  $x$ . The graph of  $f$  is the graph of the equation  $y = f(x)$ . **MI.F-IF.A.1**
  2. Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context. **MI.F-IF.A.2**
  3. Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. **MI.F-IF.A.3**
- B. Interpret linear and exponential functions having integer exponents that arise in applications in terms of the context. **MI.F-IF.B**
4. For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; and end behavior. **MI.F-IF.B.4**
  5. Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. **MI.F-IF.B.5**
  6. Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph. **MI.F-IF.B.6**
- C. Analyze functions using different representations. **MI.F-IF.C**
7. Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases. **MI.F-IF.C.7**
    - a. Graph linear functions and show intercepts. **MI.F-IF.C.7.A**
    - e. Graph exponential functions, showing intercepts and end behavior. **MI.F-IF.C.7.E**
  9. Translate among different representations of functions: (algebraically, graphically, numerically in tables, or by verbal descriptions). Compare properties of two functions each represented in a different way. **MI.F-IF.C.9**



## Building Functions

- A. Build a function that models a relationship between two quantities. **MI.F-BF.A**
  - 1. Write linear and exponential functions that describe a relationship between two quantities. **MI.F-BF.A.1**
    - a. Determine an explicit expression, a recursive process, or steps for calculation from a context. **MI.F-BF.A.1.A**
    - b. Combine standard function types using arithmetic operations. **MI.F-BF.A.1.B**
  - 2. Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms. **MI.F-BF.A.2**
- B. Build new functions from existing functions. **MI.F-BF.B**
  - 3. Identify the effect on the graph of replacing  $f(x)$  by  $f(x) + k$ ,  $kf(x)$ ,  $f(kx)$ , and  $f(x + k)$  for specific values of  $k$  (both positive and negative); find the value of  $k$  given the graphs. Include linear and exponential models. (Focus on vertical translations for exponential functions). Utilize technology to experiment with cases and illustrate an explanation of the effects on the graph. **MI.F-BF.B.3**

## Linear, Quadratic, and Exponential Models

- A. Construct and compare linear and exponential models and solve problems. **MI.F-LE.A**
  - 1. Distinguish between situations that can be modeled with linear functions and with exponential functions. **MI.F-LE.A.1**
    - a. Prove that linear functions grow by equal differences over equal intervals, and that exponential functions grow by equal factors over equal intervals. **MI.F-LE.A.1.A**
    - b. Recognize situations in which one quantity changes at a constant rate per unit interval relative to another. **MI.F-LE.A.1.B**
    - c. Recognize situations in which a quantity grows or decays by a constant percent rate per unit interval relative to another. **MI.F-LE.A.1.C**
  - 2. Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship, or two input-output pairs (including reading these from a table). **MI.F-LE.A.2**
  - 3. Observe using graphs and tables that a quantity increasing exponentially eventually exceeds a quantity increasing linearly. **MI.F-LE.A.3**
- B. Interpret expressions for functions in terms of the situation they model. **MI.F-LE.B**
  - 5. Interpret the parameters in a linear function or exponential function (of the form  $f(x) = b \cdot x + k$ ) in terms of a context. **MI.F-LE.B.5**

---

## Geometry

## Congruence

### A. Experiment with transformations in the plane. **MI.G-CO.A**

1. Know precise definitions of angle, circle, perpendicular line, parallel line, and line segment, based on the undefined notions of point, line, distance along a line, and distance around a circular arc. **MI.G-CO.A.1**
2. Represent transformations in the plane using, e.g., transparencies and geometry software; describe transformations as functions that take points in the plane as inputs and give other points as outputs. Compare transformations that preserve distance and angle to those that do not (e.g., translation versus horizontal stretch). **MI.G-CO.A.2**
3. Given a rectangle, parallelogram, trapezoid, or regular polygon, describe the rotations and reflections that carry it onto itself. **MI.G-CO.A.3**
4. Develop definitions of rotations, reflections, and translations in terms of angles, circles, perpendicular lines, parallel lines, and line segments. **MI.G-CO.A.4**
5. Given a geometric figure and a rotation, reflection, or translation, draw the transformed figure using, e.g., graph paper, tracing paper, or geometry software. Specify a sequence of transformations that will carry a given figure onto another. **MI.G-CO.A.5**

### B. Understand congruence in terms of rigid motions. **MI.G-CO.B**

6. Use geometric descriptions of rigid motions to transform figures and to predict the effect of a given rigid motion on a given figure; given two figures, use the definition of congruence in terms of rigid motions to decide if they are congruent. **MI.G-CO.B.6**
7. Use the definition of congruence in terms of rigid motions to show that two triangles are congruent if and only if corresponding pairs of sides and corresponding pairs of angles are congruent. **MI.G-CO.B.7**
8. Explain how the criteria for triangle congruence (ASA, SAS, and SSS) follow from the definition of congruence in terms of rigid motions. **MI.G-CO.B.8**

### D. Make geometric constructions. **MI.G-CO.D**

12. Make formal geometric constructions with a variety of tools and methods (compass and straightedge, string, reflective devices, paper folding, dynamic geometric software, etc.). Copying a segment; copying an angle; bisecting a segment; bisecting an angle; constructing perpendicular lines, including the perpendicular bisector of a line segment; and constructing a line parallel to a given line through a point not on the line. **MI.G-CO.D.12**
13. Construct an equilateral triangle, a square, and a regular hexagon inscribed in a circle. **MI.G-CO.D.13**

## Expressing Geometric Properties with Equations

- B. Use coordinates to prove simple geometric theorems algebraically. **MI.G-GPE.B**
    - 5. Prove the slope criteria for parallel and perpendicular lines and use them to solve geometric problems (e.g., find the equation of a line parallel or perpendicular to a given line that passes through a given point). **MI.G-GPE.B.5**
    - 7. Use coordinates to compute perimeters of polygons and areas of triangles and rectangles (e.g., using the distance formula). **MI.G-GPE.B.7**
- 

## Statistics and Probability

## Interpreting Categorical and Quantitative Data

- A. Summarize, represent, and interpret data on a single count or measurement variable. Use calculators, spreadsheets, and other technology as appropriate. **MI.S-ID.A**
  - 1. Represent data with plots on the real number line (dot plots, histograms, and box plots). **MI.S-ID.A.1**
  - 2. Use statistics appropriate to the shape of the data distribution to compare center (median, mean) and spread (interquartile range, standard deviation) of two or more different data sets. **MI.S-ID.A.2**
  - 3. Interpret differences in shape, center, and spread in the context of the data sets, accounting for possible effects of extreme data points (outliers). **MI.S-ID.A.3**
- B. Summarize, represent, and interpret data on two categorical and quantitative variables. **MI.S-ID.B**
  - 5. Summarize categorical data for two categories in two-way frequency tables. Interpret relative frequencies in the context of the data (including joint, marginal, and conditional relative frequencies). Recognize possible associations and trends in the data. **MI.S-ID.B.5**
  - 6. Represent data on two quantitative variables on a scatter plot, and describe how the variables are related. **MI.S-ID.B.6**
    - a. Fit a linear function to the data and use the fitted function to solve problems in the context of the data. Use given functions fitted to data or choose a function suggested by the context. Emphasize linear and exponential models. **MI.S-ID.B.6.A**
    - b. Informally assess the fit of a function by plotting and analyzing residuals. **MI.S-ID.B.6.B**
    - c. Fit a linear function for a scatter plot that suggests a linear association. **MI.S-ID.B.6.C**
- C. Interpret linear models. **MI.S-ID.C**
  - 7. Interpret the slope (rate of change) and the intercept (constant term) of a linear model in the context of the data. **MI.S-ID.C.7**
  - 8. Compute (using technology) and interpret the correlation coefficient of a linear fit. **MI.S-ID.C.8**
  - 9. Distinguish between correlation and causation. **MI.S-ID.C.9**

## The Real Number System

- A. Extend the properties of exponents to rational exponents. **MII.N-RN.A**
  - 1. Explain how the definition of the meaning of rational exponents follows from extending the properties of integer exponents to those values, allowing for a notation for radicals in terms of rational exponents. **MII.N-RN.A.1**
  - 2. Rewrite expressions involving radicals and rational exponents using the properties of exponents. **MII.N-RN.A.2**
- B. Use properties of rational and irrational numbers. **MII.N-RN.B**
  - 3. Explain why the sum or product of two rational numbers is rational; that the sum of a rational number and an irrational number is irrational; and that the product of a nonzero rational number and an irrational number is irrational. **MII.N-RN.B.3**

## Quantities

- A. Reason quantitatively and use units to solve problems. **MII.N-Q.A**
  - 3. Choose a level of accuracy appropriate to limitations on measurement when reporting quantities. **MII.N-Q.A.3**
    - a. Describe the effects of approximate error in measurement and rounding on measurements and on computed values from measurements. Identify significant figures in recorded measures and computed values based on the context given and the precision of the tools used to measure. **MII.N-Q.A.3.A**

## The Complex Number System

- A. Perform arithmetic operations with complex numbers. **MII.N-CN.A**
  - 1. Know there is a complex number  $i$  such that  $i^2 = -1$ , and every complex number has the form  $a + bi$  with  $a$  and  $b$  real. **MII.N-CN.A.1**
  - 2. Use the relation  $i^2 = -1$  and the Commutative, Associative, and Distributive properties to add, subtract, and multiply complex numbers. **MII.N-CN.A.2**
- C. Use complex numbers in polynomial identities and equations. **MII.N-CN.C**
  - 7. Solve quadratic equations with real coefficients that have complex solutions. **MII.N-CN.C.7**

---

## Algebra

## Seeing Structure in Expressions

- A. Interpret the structure of quadratic and exponential expressions. **MII.A-SSE.A**
  - 1. Interpret expressions that represent a quantity in terms of its context. **MII.A-SSE.A.1**
    - a. Interpret parts of an expression, such as terms, factors, and coefficients. **MII.A-SSE.A.1.A**
    - b. Interpret complicated expressions by viewing one or more of their parts as a single entity. **MII.A-SSE.A.1.B**
  - 2. Use the structure of an expression to identify ways to rewrite it. **MII.A-SSE.A.2**
- B. Write quadratic and exponential expressions in equivalent forms to solve problems. **MII.A-SSE.B**
  - 3. Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression. **MII.A-SSE.B.3**
    - a. Factor a quadratic expression to reveal the zeros of the function it defines. **MII.A-SSE.B.3.A**
    - b. Complete the square in a quadratic expression to reveal the maximum or minimum value of the function it defines. **MII.A-SSE.B.3.B**
    - c. Use the properties of exponents to transform expressions for exponential functions. **MII.A-SSE.B.3.C**

## Arithmetic with Polynomials and Rational Expressions

- A. Perform arithmetic operations on polynomials. **MII.A-APR.A**
  - 1. Understand that polynomials form a system analogous to the integers, namely, they are closed under certain operations. **MII.A-APR.A.1**
    - a. Perform operations on polynomial expressions (addition, subtraction, multiplication), and compare the system of polynomials to the system of integers when performing operations. **MII.A-APR.A.1.A**
    - b. Factor and/or expand polynomial expressions; identify and combine like terms; and apply the Distributive property. **MII.A-APR.A.1.B**

## Creating Equations

- A. Create equations that describe numbers or relationships. **MII.A-CED.A**
  - 1. Create equations and inequalities in one variable and use them to solve problems. Include equations arising from quadratic and exponential functions. **MII.A-CED.A.1**
  - 2. Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales. **MII.A-CED.A.2**
  - 4. Rearrange formulas, including formulas with quadratic terms, to highlight a quantity of interest using the same reasoning as in solving equations (Properties of equality). **MII.A-CED.A.4**

## Reasoning with Equations and Inequalities

### B. Solve equations and inequalities in one variable. **MII.A-REI.B**

#### 4. Solve quadratic equations in one variable. **MII.A-REI.B.4**

- a. Use the method of completing the square to transform any quadratic equation in  $x$  into an equation of the form  $(x - p)^2 = q$  that has the same solutions. Derive the quadratic formula from this form. **MII.A-REI.B.4.A**
- b. Solve quadratic equations by inspection (e.g., for  $x^2 = 49$ ), taking square roots, completing the square, the quadratic formula, and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions and write them as  $a \pm bi$  for real numbers  $a$  and  $b$ . **MII.A-REI.B.4.B**

### C. Solve systems of equations. **MII.A-REI.C**

- 7. Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. **MII.A-REI.C.7**

---

## Functions

## Interpreting Functions

- B. Interpret quadratic and exponential functions with integer exponents that arise in applications in terms of the context. **MII.F-IF.B**
4. For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; and end behavior. **MII.F-IF.B.4**
  5. Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. **MII.F-IF.B.5**
  6. Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph. **MII.F-IF.B.6**
- C. Analyze functions using different representations. **MII.F-IF.C**
7. Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases. **MII.F-IF.C.7**
    - a. Graph quadratic functions and show intercepts, maxima, and minima. **MII.F-IF.C.7.A**
    - b. Graph piecewise-defined functions, including step functions and absolute value functions. **MII.F-IF.C.7.B**
  8. Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function. **MII.F-IF.C.8**
    - a. Use the process of factoring and completing the square in a quadratic function to show zeros, minimum/maximum values, and symmetry of the graph and interpret these in terms of a context. **MII.F-IF.C.8.A**
    - b. Use the properties of exponents to interpret expressions for exponential functions. Apply to financial situations such as identifying appreciation/depreciation rate for the value of a house or car some time after its initial purchase:  $V_{n} = P(1 + r)^n$ . **MII.F-IF.C.8.B**
  9. Translate among different representations of functions (algebraically, graphically, numerically in tables, or by verbal descriptions). Compare properties of two functions each represented in a different way. **MII.F-IF.C.9**



## Building Functions

- A. Build a function that models a relationship between two quantities. **III.F-BF.A**
  - 1. Write linear, quadratic, and exponential functions that describe relationships between two quantities. **III.F-BF.A.1**
    - a. Determine an explicit expression, a recursive process, or steps for calculation from a context. **III.F-BF.A.1.A**
    - b. Combine standard function types using arithmetic operations. **III.F-BF.A.1.B**
- B. Build new functions from existing functions. **III.F-BF.B**
  - 3. Identify the effect on the graph of replacing  $f(x)$  by  $f(x) + k$ ,  $k f(x)$ ,  $f(kx)$ , and  $f(x + k)$  for specific values of  $k$  (both positive and negative); find the value of  $k$  given the graphs. Include exponential, quadratic, and absolute value functions. Utilize technology to experiment with cases and illustrate an explanation of the effects on the graph. **III.F-BF.B.3**
  - 4. Find inverse functions algebraically and graphically. **III.F-BF.B.4**
    - a. Solve an equation of the form  $f(x) = c$  for a linear function  $f$  that has an inverse and write an expression for the inverse. **III.F-BF.B.4.A**

## Linear, Quadratic, and Exponential Models

- A. Construct and compare linear, quadratic, and exponential models and solve problems. **III.F-LE.A**
  - 3. Observe using graphs and tables that a quantity increasing exponentially eventually exceeds a quantity increasing linearly, quadratically, or (more generally) as a polynomial function. **III.F-LE.A.3**

---

## Geometry

## Congruence

- C. Prove geometric theorems and, when appropriate, the converse of theorems. **III.G-CO.C**
9. Prove theorems about lines and angles. Theorems include: vertical angles are congruent; when a transversal crosses parallel lines, alternate interior angles are congruent and corresponding angles are congruent, and conversely prove lines are parallel; points on a perpendicular bisector of a line segment are exactly those equidistant from the segment's endpoints. **III.G-CO.C.9**
  10. Prove theorems about triangles. Theorems include: measures of interior angles of a triangle sum to  $180^\circ$ ; base angles of isosceles triangles are congruent, and conversely prove a triangle is isosceles; the segment joining midpoints of two sides of a triangle is parallel to the third side and half the length; the medians of a triangle meet at a point. **III.G-CO.C.10**
  11. Prove theorems about parallelograms. Theorems include: opposite sides are congruent, opposite angles are congruent, the diagonals of a parallelogram bisect each other, and conversely, rectangles are parallelograms with congruent diagonals. **III.G-CO.C.11**
    - a. Prove theorems about polygons. Theorems include the measures of interior and exterior angles. Apply properties of polygons to the solutions of mathematical and contextual problems. **III.G-CO.C.11.A**

## Similarity, Right Triangles, and Trigonometry

- A.** Understand similarity in terms of similarity transformations. **MII.G-SRT.A**
1. Verify experimentally the properties of dilations given by a center and a scale factor: **MII.G-SRT.A.1**
    - a. A dilation takes a line not passing through the center of the dilation to a parallel line, and leaves a line passing through the center unchanged. **MII.G-SRT.A.1.A**
    - b. The dilation of a line segment is longer or shorter in the ratio given by the scale factor. **MII.G-SRT.A.1.B**
  2. Given two figures, use the definition of similarity in terms of similarity transformations to decide if they are similar; explain using similarity transformations the meaning of similarity for triangles as the equality of all corresponding pairs of angles and the proportionality of all corresponding pairs of sides. **MII.G-SRT.A.2**
  3. Use the properties of similarity transformations to establish the Angle-Angle (AA) criterion for two triangles to be similar. **MII.G-SRT.A.3**
- B.** Prove theorems involving similarity using a variety of ways of writing proofs, showing validity of underlying reasoning. **MII.G-SRT.B**
4. Prove theorems about triangles. Theorems include: a line parallel to one side of a triangle divides the other two proportionally, and conversely; the Pythagorean Theorem proved using triangle similarity. **MII.G-SRT.B.4**
  5. Use congruence and similarity criteria for triangles to solve problems and to prove relationships in geometric figures. **MII.G-SRT.B.5**
- C.** Define trigonometric ratios and solve problems involving right triangles. **MII.G-SRT.C**
6. Understand that by similarity, side ratios in right triangles are properties of the angles in the triangle, leading to definitions of trigonometric ratios for acute angles. **MII.G-SRT.C.6**
  7. Explain and use the relationship between the sine and cosine of complementary angles. **MII.G-SRT.C.7**
  8. Use trigonometric ratios and the Pythagorean Theorem to solve right triangles in applied problems. **MII.G-SRT.C.8**

## Circles

### A. Understand and apply theorems about circles. **MII.G-C.A**

1. Prove that all circles are similar. **MII.G-C.A.1**
2. Identify and describe relationships among inscribed angles, radii, and chords. Include the relationship between central, inscribed, and circumscribed angles; inscribed angles on a diameter are right angles; the radius of a circle is perpendicular to the tangent where the radius intersects the circle. **MII.G-C.A.2**
3. Construct the inscribed and circumscribed circles of a triangle, and prove properties of angles for a quadrilateral and other polygons inscribed in a circle. **MII.G-C.A.3**
4. (+) Construct a tangent line from a point outside a given circle to the circle. **MII.G-C.A.4**

### B. Find arc lengths and areas of sectors of circles. **MII.G-C.B**

5. Derive, using similarity, the fact that the length of the arc intercepted by an angle is proportional to the radius, and define the radian measure of the angle as the constant of proportionality; derive the formula for the area of a sector. **MII.G-C.B.5**

## Expressing Geometric Properties with Equations

### A. Translate between the geometric description and the equation for a conic section. **MII.G-GPE.A**

1. Derive the equation of a circle of given center and radius using the Pythagorean Theorem; complete the square to find the center and radius of a circle given by an equation. **MII.G-GPE.A.1**
2. Derive the equation of a parabola given a focus and directrix. **MII.G-GPE.A.2**

### B. Use coordinates to prove simple geometric theorems algebraically. **MII.G-GPE.B**

4. Use coordinates to prove simple geometric theorems algebraically including the distance formula and its relationship to the Pythagorean Theorem. **MII.G-GPE.B.4**
6. Find the point on a directed line segment between two given points that partitions the segment in a given ratio. **MII.G-GPE.B.6**

## Geometric Measurement and Dimension

### A. Explain volume formulas and use them to solve problems. **MII.G-GMD.A**

1. Give an informal argument for the formulas for the circumference of a circle, area of a circle, volume of a cylinder, pyramid, and cone. Use dissection arguments, Cavalieri's principle, and informal limit arguments. **MII.G-GMD.A.1**
2. (+) Give an informal argument using Cavalieri's principle for the formulas for the volume of a sphere and other solid figures. **MII.G-GMD.A.2**
3. Use volume formulas for cylinders, pyramids, cones, and spheres to solve problems. **MII.G-GMD.A.3**

---

## Statistics and Probability

### Conditional Probability and the Rules of Probability

- A. Understand independence and conditional probability and use them to interpret data from simulations or experiments. **MII.S-CP.A**
1. Describe events as subsets of a sample space (the set of outcomes) using characteristics (or categories) of the outcomes, or as unions, intersections, or complements of other events ("or," "and," "not"). **MII.S-CP.A.1**
  2. Understand that two events A and B are independent if the probability of A and B occurring together is the product of their probabilities, and use this characterization to determine if they are independent. **MII.S-CP.A.2**
  3. Understand the conditional probability of A given B as  $P(A \text{ and } B)/P(B)$ , and interpret independence of A and B as saying that the conditional probability of A given B is the same as the probability of A, and the conditional probability of B given A is the same as the probability of B. **MII.S-CP.A.3**
  4. Construct and interpret two-way frequency tables of data when two categories are associated with each object being classified. Use the two-way table as a sample space to decide if events are independent and to approximate conditional probabilities. **MII.S-CP.A.4**
  5. Recognize and explain the concepts of conditional probability and independence in everyday language and everyday situations. **MII.S-CP.A.5**
- B. Use the rules of probability to compute probabilities of compound events in a uniform probability model. **MII.S-CP.B**
6. Find the conditional probability of A given B as the fraction of B's outcomes that also belong to A, and interpret the answer in terms of the model. **MII.S-CP.B.6**
  7. Apply the Addition Rule,  $P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)$ , and interpret the answer in terms of the model. **MII.S-CP.B.7**
  8. (+) Apply the general Multiplication Rule in a uniform probability model,  $P(A \text{ and } B) = P(A)P(B|A) = P(B)P(A|B)$ , and interpret the answer in terms of the model. **MII.S-CP.B.8**
  9. (+) Use permutations and combinations to compute probabilities of compound events and solve problems. **MII.S-CP.B.9**
- 

## Model Mathematics III

## Number and Quantity

### The Complex Number System

- C. Use complex numbers in polynomial identities and equations. **MIII.N-CN.C**
8. (+) Extend polynomial identities to the complex numbers. **MIII.N-CN.C.8**
  9. (+) Know the Fundamental Theorem of Algebra; show that it is true for quadratic polynomials. **MIII.N-CN.C.9**

## Vector and Matrix Quantities

- A. Represent and model with vector quantities. **MIII.N-VM.A**
    - 1. (+) Recognize vector quantities as having both magnitude and direction. Represent vector quantities by directed line segments, and use appropriate symbols for vectors and their magnitudes (e.g.,  $\mathbf{v}$ ,  $|\mathbf{v}|$ ,  $\|\mathbf{v}\|$ ,  $v$ ). **MIII.N-VM.A.1**
    - 3. (+) Solve problems involving velocity and other quantities that can be represented by vectors. **MIII.N-VM.A.3**
  - C. Perform operations on matrices and use matrices in applications. **MIII.N-VM.C**
    - 6. (+) Use matrices to represent and manipulate data, e.g., to represent payoffs or incidence relationships in a network. **MIII.N-VM.C.6**
    - 8. (+) Add, subtract, and multiply matrices of appropriate dimensions. **MIII.N-VM.C.8**
    - 12. (+) Work with  $2 \times 2$  matrices as transformations of the plane, and interpret the absolute value of the determinant in terms of area. **MIII.N-VM.C.12**
- 

## Algebra

### Seeing Structure in Expressions

- A. Interpret the structure of polynomial and rational expressions. **MIII.A-SSE.A**
  - 1. Interpret expressions that represent a quantity in terms of its context. **MIII.A-SSE.A.1**
    - a. Interpret parts of an expression, such as terms, factors, and coefficients. **MIII.A-SSE.A.1.A**
    - b. Interpret complicated expressions by viewing one or more of their parts as a single entity. **MIII.A-SSE.A.1.B**
  - 2. Use the structure of an expression to identify ways to rewrite it. **MIII.A-SSE.A.2**
- B. Write expressions in equivalent forms to solve problems. **MIII.A-SSE.B**
  - 4. Derive the formula for the sum of a finite geometric series (when the common ratio is not 1), and use the formula to solve problems. **MIII.A-SSE.B.4**

## Arithmetic with Polynomials and Rational Expressions

- A. Perform arithmetic operations on polynomials. **MIII.A-APR.A**
1. Understand that polynomials form a system analogous to the integers, namely, they are closed under certain operations. **MIII.A-APR.A.1**
    - a. Perform operations on polynomial expressions (addition, subtraction, multiplication, and division), and compare the system of polynomials to the system of integers when performing operations. **MIII.A-APR.A.1.A**
- B. Understand the relationship between zeros and factors of polynomials. **MIII.A-APR.B**
2. Know and apply the Remainder Theorem: For a polynomial  $p(x)$  and a number  $a$ , the remainder on division by  $x - a$  is  $p(a)$ , so  $p(a) = 0$  if and only if  $(x - a)$  is a factor of  $p(x)$ . **MIII.A-APR.B.2**
  3. Identify zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial. **MIII.A-APR.B.3**
- C. Use polynomial identities to solve problems. **MIII.A-APR.C**
4. Prove polynomial identities and use them to describe numerical relationships. **MIII.A-APR.C.4**
  5. (+) Know and apply the Binomial Theorem for the expansion of  $(x + y)^n$  in powers of  $x$  and  $y$  for a positive integer  $n$ , where  $x$  and  $y$  are any numbers, with coefficients determined for example by Pascal's Triangle. **MIII.A-APR.C.5**
- D. Rewrite rational expressions. **MIII.A-APR.D**
6. Rewrite simple rational expressions in different forms; write  $a(x)/b(x)$  in the form  $q(x) + r(x)/b(x)$ , where  $a(x)$ ,  $b(x)$ ,  $q(x)$ , and  $r(x)$  are polynomials with the degree of  $r(x)$  less than the degree of  $b(x)$ , using inspection, long division, or, for the more complicated examples, a computer algebra system. **MIII.A-APR.D.6**
  7. (+) Understand that rational expressions form a system analogous to the rational numbers, closed under addition, subtraction, multiplication, and division by a nonzero rational expression; add, subtract, multiply, and divide rational expressions. **MIII.A-APR.D.7**

## Creating Equations

- A. Create equations that describe numbers or relationships. **MIII.A-CED.A**
  - 1. Create equations and inequalities in one variable and use them to solve problems. (Include equations arising from simple root and rational functions.) **MIII.A-CED.A.1**
  - 2. Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales. **MIII.A-CED.A.2**
  - 3. Represent constraints by equations or inequalities and by systems of equations and/or inequalities, and interpret solutions as viable or non-viable options in a modeling context. **MIII.A-CED.A.3**

## Reasoning with Equations and Inequalities

- A. Understand solving equations as a process of reasoning and explain the reasoning. **MIII.A-REI.A**
  - 2. Solve simple rational and radical equations in one variable, and give examples showing how extraneous solutions may arise. **MIII.A-REI.A.2**
- D. Represent and solve equations and inequalities graphically. **MIII.A-REI.D**
  - 11. Explain why the x-coordinates of the points where the graphs of the equations  $y = f(x)$  and  $y = g(x)$  intersect are the solutions of the equation  $f(x) = g(x)$ ; find the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where  $f(x)$  and/or  $g(x)$  are polynomial, rational, and logarithmic functions. **MIII.A-REI.D.11**

---

## Functions



## Interpreting Functions

- B. Interpret functions that arise in applications in terms of the context (rational, polynomial, square root, cube root, trigonometric, logarithmic). **MIII.F-IF.B**
  - 4. For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. **MIII.F-IF.B.4**
  - 5. Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. **MIII.F-IF.B.5**
  - 6. Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph. **MIII.F-IF.B.6**
- C. Analyze functions using different representations. **MIII.F-IF.C**
  - 7. Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases. **MIII.F-IF.C.7**
    - b. Graph square root and cube root functions. **MIII.F-IF.C.7.B**
    - c. Graph polynomial functions, identifying zeros when suitable factorizations are available, and showing end behavior. **MIII.F-IF.C.7.C**
    - e. Graph exponential and logarithmic functions, showing intercepts and end behavior, and trigonometric functions, showing period, midline, and amplitude. **MIII.F-IF.C.7.E**
  - 8. Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function. **MIII.F-IF.C.8**
    - a. Use the process of factoring in a polynomial function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context. **MIII.F-IF.C.8.A**
  - 9. Translate among different representations of functions: (algebraically, graphically, numerically in tables, or by verbal descriptions). Compare properties of two functions each represented in a different way. **MIII.F-IF.C.9**
  - 10. Given algebraic, numeric and/or graphical representations of functions, recognize the function as polynomial, rational, logarithmic, exponential, or trigonometric. **MIII.F-IF.C.10**

## Building Functions

- A. Build a function that models a relationship between two quantities. **MIII.F-BF.A**
  - 1. Write simple rational and radical functions, logarithmic, and trigonometric functions that describes a relationship between two quantities. **MIII.F-BF.A.1**
  - b. Combine standard function types using arithmetic operations. **MIII.F-BF.A.1.B**
- B. Build new functions from existing functions. **MIII.F-BF.B**
  - 3. Identify the effect on the graph of replacing  $f(x)$  by  $f(x) + k$ ,  $kf(x)$ ,  $f(kx)$ , and  $f(x + k)$  for specific values of  $k$  (both positive and negative); find the value of  $k$  given the graphs. Include simple rational, radical, logarithmic, and trigonometric functions. Experiment with cases and illustrate an explanation of the effects on the graph using technology. Include recognizing even and odd functions from their graphs and algebraic expressions for them. **MIII.F-BF.B.3**
  - 4. Find inverse functions algebraically and graphically. **MIII.F-BF.B.4**
    - a. Solve an equation of the form  $f(x) = c$  for a simple function  $f$  that has an inverse and write an expression for the inverse. **MIII.F-BF.B.4.A**

## Linear, Quadratic, and Exponential Models

- A. Construct and compare linear, quadratic, and exponential models and solve problems. **MIII.F-LE.A**
  - 4. For exponential models, express as a logarithm the solution to  $ab^{ct} = d$  where  $a$ ,  $c$ , and  $d$  are numbers and the base  $b$  is 2, 10, or  $e$ ; evaluate the logarithm using technology. **MIII.F-LE.A.4**

## Trigonometric Functions

- A. Extend the domain of trigonometric functions using the unit circle. **MIII.F-TF.A**
  - 1. Understand radian measure of an angle as the length of the arc on the unit circle subtended by the angle. **MIII.F-TF.A.1**
  - 2. Explain how the unit circle in the coordinate plane enables the extension of trigonometric functions to all real numbers, interpreted as radian measures of angles traversed counterclockwise around the unit circle. **MIII.F-TF.A.2**
- B. Model periodic phenomena with trigonometric functions. **MIII.F-TF.B**
  - 5. Choose trigonometric functions to model periodic phenomena with specified amplitude, frequency, and midline. **MIII.F-TF.B.5**
- C. Prove and apply trigonometric identities. **MIII.F-TF.C**
  - 8. Prove the Pythagorean identity  $\sin^2(\theta) + \cos^2(\theta) = 1$  and use it to find  $\sin(\theta)$ ,  $\cos(\theta)$ , or  $\tan(\theta)$  given  $\sin(\theta)$ ,  $\cos(\theta)$ , or  $\tan(\theta)$  and the quadrant. **MIII.F-TF.C.8**

---

## Geometry

## Similarity, Right Triangles, and Trigonometry

### D. Apply trigonometry to general triangles. [MIII.G-SRT.D](#)

9. (+) Derive the formula  $A = \frac{1}{2} ab \sin(C)$  for the area of a triangle by drawing an auxiliary line from a vertex perpendicular to the opposite side. [MIII.G-SRT.D.9](#)
10. (+) Prove the Laws of Sines and Cosines and use them to solve problems. [MIII.G-SRT.D.10](#)
11. (+) Understand and apply the Law of Sines and the Law of Cosines to find unknown measurements in right and non-right triangles (e.g., surveying problems, resultant forces). [MIII.G-SRT.D.11](#)

## Geometric Measurement and Dimension

### B. Visualize relationships between two-dimensional and three-dimensional objects. [MIII.G-GMD.B](#)

4. Identify the shapes of two-dimensional cross-sections of three-dimensional objects, and identify three-dimensional objects generated by rotations of two-dimensional objects. [MIII.G-GMD.B.4](#)

## Modeling with Geometry

### A. Apply geometric concepts in modeling situations. [MIII.G-MG.A](#)

1. Use geometric shapes, their measures, and their properties to describe objects (e.g., modeling a tree trunk or a human torso as a cylinder). [MIII.G-MG.A.1](#)
2. Apply concepts of density based on area and volume in modeling situations (e.g., persons per square mile, BTUs per cubic foot). [MIII.G-MG.A.2](#)
3. Apply geometric methods to solve design problems (e.g., designing an object or structure to satisfy physical constraints or minimize cost; working with typographic grid systems based on ratios). [MIII.G-MG.A.3](#)
4. Use dimensional analysis for unit conversions to confirm that expressions and equations make sense. [MIII.G-MG.A.4](#)

---

## Statistics and Probability

### Interpreting Categorical and Quantitative Data

- A. Summarize, represent, and interpret data on a single count or measurement variable. Use calculators, spreadsheets, and other technology as appropriate. [MIII.S-ID.A](#)
4. Use the mean and standard deviation of a data set to fit it to a normal distribution and to estimate population percentages. Recognize that there are data sets for which such a procedure is not appropriate. Use calculators, spreadsheets, and tables to estimate areas under the normal curve. [MIII.S-ID.A.4](#)

## Making Inferences and Justifying Conclusions

- A. Understand and evaluate random processes underlying statistical experiments. **MIII.S-IC.A**
  - 1. Understand statistics as a process for making inferences to be made about population parameters based on a random sample from that population. **MIII.S-IC.A.1**
  - 2. Decide if a specified model is consistent with results from a given data-generating process, e.g., using simulation. **MIII.S-IC.A.2**
- B. Make inferences and justify conclusions from sample surveys, experiments, and observational studies. **MIII.S-IC.B**
  - 3. Recognize the purposes of and differences among sample surveys, experiments, and observational studies; explain how randomization relates to each. **MIII.S-IC.B.3**
  - 4. Use data from a sample survey to estimate a population mean or proportion; develop a margin of error through the use of simulation models for random sampling. **MIII.S-IC.B.4**
  - 5. Use data from a randomized experiment to compare two treatments; use simulations to decide if differences between parameters are significant. **MIII.S-IC.B.5**
  - 6. Evaluate reports based on data. **MIII.S-IC.B.6**

## Using Probability to Make Decisions

- B. Use probability to evaluate outcomes of decisions. **MIII.S-MD.B**
  - 6. (+) Use probabilities to make fair decisions (e.g., drawing by lots, using a random number generator). **MIII.S-MD.B.6**
  - 7. (+) Analyze decisions and strategies using probability concepts (e.g., product testing, medical testing, pulling a hockey goalie at the end of a game and replacing the goalie with an extra skater). **MIII.S-MD.B.7**

## The Complex Number System

- A. Perform arithmetic operations with complex numbers. **PC.N-CN.A**
  - 3. (+) Find the conjugate of a complex number; use conjugates to find moduli and quotients of complex numbers. **PC.N-CN.A.3**
- B. Represent complex numbers and their operations on the complex plane. **PC.N-CN.B**
  - 4. (+) Represent complex numbers on the complex plane in rectangular and polar form (including real and imaginary numbers), and explain why the rectangular and polar forms of a given complex number represent the same number. **PC.N-CN.B.4**
  - 5. (+) Represent addition, subtraction, multiplication, and conjugation of complex numbers geometrically on the complex plane; use properties of this representation for computation. **PC.N-CN.B.5**
  - 6. (+) Calculate the distance between numbers in the complex plane as the modulus of the difference, and the midpoint of a segment as the average of the numbers at its endpoints. **PC.N-CN.B.6**
- C. Use complex numbers in polynomial identities and equations. **PC.N-CN.C**
  - 8. (+) Extend polynomial identities to the complex numbers. **PC.N-CN.C.8**
  - 9. (+) Know the Fundamental Theorem of Algebra; show that it is true for quadratic polynomials. **PC.N-CN.C.9**

## Vector and Matrix Quantities

### A. Represent and model with vector quantities. PC.N-VM.A

1. (+) Recognize vector quantities as having both magnitude and direction. Represent vector quantities by directed line segments, and use appropriate symbols for vectors and their magnitudes (e.g.,  $\mathbf{v}$ ,  $|\mathbf{v}|$ ,  $\|\mathbf{v}\|$ ,  $v$ ). PC.N-VM.A.1
2. (+) Find the components of a vector by subtracting the coordinates of an initial point from the coordinates of a terminal point. PC.N-VM.A.2
3. (+) Solve problems involving velocity and other quantities that can be represented by vectors. PC.N-VM.A.3

### B. Perform operations on vectors. PC.N-VM.B

4. (+) Add and subtract vectors. PC.N-VM.B.4
  - a. (+) Add vectors end-to-end, component-wise, and by the parallelogram rule. Understand that the magnitude of a sum of two vectors is typically not the sum of the magnitudes. PC.N-VM.B.4.A
  - b. (+) Given two vectors in magnitude and direction form, determine the magnitude and direction of their sum. PC.N-VM.B.4.B
  - c. (+) Understand vector subtraction  $\mathbf{v} - \mathbf{w}$  as  $\mathbf{v} + (-\mathbf{w})$ , where  $-\mathbf{w}$  is the additive inverse of  $\mathbf{w}$ , with the same magnitude as  $\mathbf{w}$  and pointing in the opposite direction. Represent vector subtraction graphically by connecting the tips in the appropriate order, and perform vector subtraction component-wise. PC.N-VM.B.4.C
5. (+) Multiply a vector by a scalar. PC.N-VM.B.5
  - a. (+) Represent scalar multiplication graphically by scaling vectors and possibly reversing their direction; perform scalar multiplication component-wise, e.g., as  $c(\mathbf{v}_x, \mathbf{v}_y) = (c\mathbf{v}_x, c\mathbf{v}_y)$ . PC.N-VM.B.5.A
  - b. (+) Compute the magnitude of a scalar multiple  $c\mathbf{v}$  using  $\|c\mathbf{v}\| = |c|\mathbf{v}$ . Compute the direction of  $c\mathbf{v}$  knowing that when  $|c|\mathbf{v} \neq 0$ , the direction of  $c\mathbf{v}$  is either along  $\mathbf{v}$  (for  $c > 0$ ) or against  $\mathbf{v}$  (for  $c < 0$ ). PC.N-VM.B.5.B

- C. Perform operations on matrices and use matrices in applications. [PC.N-VM.C](#)
6. (+) Use matrices to represent and manipulate data, e.g., to represent payoffs or incidence relationships in a network. [PC.N-VM.C.6](#)
  7. (+) Multiply matrices by scalars to produce new matrices, e.g., as when all of the payoffs in a game are doubled. [PC.N-VM.C.7](#)
  8. (+) Add, subtract, and multiply matrices of appropriate dimensions. [PC.N-VM.C.8](#)
  9. (+) Understand that, unlike multiplication of numbers, matrix multiplication for square matrices is not a Commutative operation, but still satisfies the Associative and Distributive properties. [PC.N-VM.C.9](#)
  10. (+) Understand that the zero and identity matrices play a role in matrix addition and multiplication similar to the role of 0 and 1 in the real numbers. The determinant of a square matrix is nonzero if and only if the matrix has a multiplicative inverse. [PC.N-VM.C.10](#)
  11. (+) Multiply a vector (regarded as a matrix with one column) by a matrix of suitable dimensions to produce another vector. Work with matrices as transformations of vectors. [PC.N-VM.C.11](#)
  12. (+) Work with  $2 \times 2$  matrices as transformations of the plane, and interpret the absolute value of the determinant in terms of area. [PC.N-VM.C.12](#)
- 

## Algebra

### Arithmetic with Polynomials and Rational Expressions

- C. Use polynomial identities to solve problems. [PC.A-APR.C](#)
5. (+) Know and apply the Binomial Theorem for the expansion of  $(x + y)^n$  in powers of  $x$  and  $y$  for a positive integer  $n$ , where  $x$  and  $y$  are any numbers, with coefficients determined for example by Pascal's Triangle. [PC.A-APR.C.5](#)
- D. Rewrite rational expressions. [PC.A-APR.D](#)
7. (+) Understand that rational expressions form a system analogous to the rational numbers, closed under addition, subtraction, multiplication, and division by a nonzero rational expression; add, subtract, multiply, and divide rational expressions. [PC.A-APR.D.7](#)

### Reasoning with Equations and Inequalities

- C. Solve systems of equations. [PC.A-REI.C](#)
8. (+) Represent a system of linear equations as a single matrix equation in a vector variable. [PC.A-REI.C.8](#)
  9. (+) Find the inverse of a matrix if it exists and use it to solve systems of linear equations (using technology for matrices of dimension  $3 \times 3$  or greater). [PC.A-REI.C.9](#)
- 

## Functions

## Interpreting Functions

- C. Analyze functions using different representations. **PC.F-IF.C**
  - 7. Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases. **PC.F-IF.C.7**
    - d. (+) Graph rational functions, identifying zeros and asymptotes when suitable factorizations are available, and showing end behavior. **PC.F-IF.C.7.D**

## Building Functions

- A. Build a function that models a relationship between two quantities. **PC.F-BF.A**
  - 1. Write a function that describes a relationship between two quantities. **PC.F-BF.A.1**
    - c. (+) Compose functions. **PC.F-BF.A.1.C**
- B. Build new functions from existing functions. **PC.F-BF.B**
  - 4. Find inverse functions. **PC.F-BF.B.4**
    - b. (+) Verify by composition that one function is the inverse of another. **PC.F-BF.B.4.B**
    - c. (+) Read values of an inverse function from a graph or a table, given that the function has an inverse. **PC.F-BF.B.4.C**
    - d. (+) Produce an invertible function from a non-invertible function by restricting the domain. **PC.F-BF.B.4.D**
  - 5. (+) Understand the inverse relationship between exponents and logarithms and use this relationship to solve problems involving logarithms and exponents. **PC.F-BF.B.5**



## Trigonometric Functions

- A. Extend the domain of trigonometric functions using the unit circle. **PC.F-TF.A**
  - 3. (+) Use special triangles to determine geometrically the values of sine, cosine, tangent for  $\pi/3$ ,  $\pi/4$  and  $\pi/6$ , and use the unit circle to express the values of sine, cosine, and tangent for  $\pi - x$ ,  $\pi + x$ , and  $2\pi - x$  in terms of their values for  $x$ , where  $x$  is any real number. **PC.F-TF.A.3**
  - 4. (+) Use the unit circle to explain symmetry (odd and even) and periodicity of trigonometric functions. **PC.F-TF.A.4**
- B. Model periodic phenomena with trigonometric functions. **PC.F-TF.B**
  - 6. (+) Understand that restricting a trigonometric function to a domain on which it is always increasing or always decreasing allows its inverse to be constructed. **PC.F-TF.B.6**
  - 7. (+) Use inverse functions to solve trigonometric equations that arise in modeling contexts; evaluate the solutions using technology, and interpret them in terms of the context. **PC.F-TF.B.7**
- C. Prove and apply trigonometric identities. **PC.F-TF.C**
  - 9. (+) Prove the addition and subtraction formulas for sine, cosine, and tangent and use them to solve problems. **PC.F-TF.C.9**

---

## Geometry

### Similarity, Right Triangles, and Trigonometry

- D. Apply trigonometry to general triangles. **PC.G-SRT.D**
  - 9. (+) Derive the formula  $A = \frac{1}{2} ab \sin(C)$  for the area of a triangle by drawing an auxiliary line from a vertex perpendicular to the opposite side. **PC.G-SRT.D.9**
  - 10. (+) Prove the Laws of Sines and Cosines and use them to solve problems. **PC.G-SRT.D.10**
  - 11. (+) Understand and apply the Law of Sines and the Law of Cosines to find unknown measurements in right and non-right triangles (e.g., surveying problems, resultant forces). **PC.G-SRT.D.11**

### Circles

- A. Understand and apply theorems about circles. **PC.G-C.A**
  - 4. (+) Construct a tangent line from a point outside a given circle to the circle. **PC.G-C.A.4**

### Expressing Geometric Properties with Equations

- A. Translate between the geometric description and the equation for a conic section. **PC.G-GPE.A**
  - 3. (+) Derive the equations of ellipses and hyperbolas given the foci, using the fact that the sum or difference of distances from the foci is constant. **PC.G-GPE.A.3**
    - a. (+) Use equations and graphs of conic sections to model real-world problems. **PC.G-GPE.A.3.A**

## Geometric Measurement and Dimension

- A. Explain volume formulas and use them to solve problems. [PC.G-GMD.A](#)
- 2. (+) Give an informal argument using Cavalieri's principle for the formulas for the volume of a sphere and other solid figures. [PC.G-GMD.A.2](#)

---

## Model Advanced Quantitative Reasoning

### Number and Quantity

#### Vector and Matrix Quantities

- A. Represent and model with vector quantities. [AQR.N-VM.A](#)
  - 1. (+) Recognize vector quantities as having both magnitude and direction. Represent vector quantities by directed line segments, and use appropriate symbols for vectors and their magnitudes (e.g.,  $v$ ,  $|v|$ ,  $\|v\|$ ,  $v$ ). [AQR.N-VM.A.1](#)
  - 2. (+) Find the components of a vector by subtracting the coordinates of an initial point from the coordinates of a terminal point. [AQR.N-VM.A.2](#)
  - 3. (+) Solve problems involving velocity and other quantities that can be represented by vectors. [AQR.N-VM.A.3](#)
- C. Perform operations on matrices and use matrices in applications. [AQR.N-VM.C](#)
  - 6. (+) Use matrices to represent and manipulate data, e.g., to represent payoffs or incidence relationships in a network. [AQR.N-VM.C.6](#)
  - 7. (+) Multiply matrices by scalars to produce new matrices, e.g., as when all of the payoffs in a game are doubled. [AQR.N-VM.C.7](#)
  - 8. (+) Add, subtract, and multiply matrices of appropriate dimensions. [AQR.N-VM.C.8](#)
  - 9. (+) Understand that, unlike multiplication of numbers, matrix multiplication for square matrices is not a Commutative operation, but still satisfies the Associative and Distributive properties. [AQR.N-VM.C.9](#)
  - 10. (+) Understand that the zero and identity matrices play a role in matrix addition and multiplication similar to the role of 0 and 1 in the real numbers. The determinant of a square matrix is nonzero if and only if the matrix has a multiplicative inverse. [AQR.N-VM.C.10](#)
  - 11. (+) Multiply a vector (regarded as a matrix with one column) by a matrix of suitable dimensions to produce another vector. Work with matrices as transformations of vectors. [AQR.N-VM.C.11](#)
  - 12. (+) Work with  $2 \times 2$  matrices as transformations of the plane, and interpret the absolute value of the determinant in terms of area. [AQR.N-VM.C.12](#)

---

## Algebra

## Arithmetic with Polynomials and Rational Expressions

### C. Use polynomial identities to solve problems. [AQR.A-APR.C](#)

5. (+) Know and apply the Binomial Theorem for the expansion of  $(x + y)^n$  in powers of  $x$  and  $y$  for a positive integer  $n$ , where  $x$  and  $y$  are any numbers, with coefficients determined for example by Pascal's Triangle. [AQR.A-APR.C.5](#)

## Reasoning with Equations and Inequalities

### C. Solve systems of equations. [AQR.A-REI.C](#)

8. (+) Represent a system of linear equations as a single matrix equation in a vector variable. [AQR.A-REI.C.8](#)
9. (+) Find the inverse of a matrix if it exists and use it to solve systems of linear equations (using technology for matrices of dimension  $3 \times 3$  or greater). [AQR.A-REI.C.9](#)

---

## Functions

### Trigonometric Functions

#### A. Extend the domain of trigonometric functions using the unit circle. [AQR.F-TF.A](#)

3. (+) Use special triangles to determine geometrically the values of sine, cosine, tangent for  $\pi/3$ ,  $\pi/4$  and  $\pi/6$ , and use the unit circle to express the values of sine, cosine, and tangent for  $\pi - x$ ,  $\pi + x$ , and  $2\pi - x$  in terms of their values for  $x$ , where  $x$  is any real number. [AQR.F-TF.A.3](#)
4. (+) Use the unit circle to explain symmetry (odd and even) and periodicity of trigonometric functions. [AQR.F-TF.A.4](#)

#### B. Model periodic phenomena with trigonometric functions. [AQR.F-TF.B](#)

7. (+) Use inverse functions to solve trigonometric equations that arise in modeling contexts; evaluate the solutions using technology, and interpret them in terms of the context. [AQR.F-TF.B.7](#)

#### C. Prove and apply trigonometric identities. [AQR.F-TF.C](#)

9. (+) Prove the addition and subtraction formulas for sine, cosine, and tangent and use them to solve problems. [AQR.F-TF.C.9](#)

---

## Geometry

### Similarity, Right Triangles, and Trigonometry

#### D. Apply trigonometry to general triangles. [AQR.G-SRT.D](#)

11. (+) Understand and apply the Law of Sines and the Law of Cosines to find unknown measurements in right and non-right triangles (e.g., surveying problems, resultant forces). [AQR.G-SRT.D.11](#)

### Circles

#### A. Understand and apply theorems about circles. [AQR.G-C.A](#)

4. (+) Construct a tangent line from a point outside a given circle to the circle. [AQR.G-C.A.4](#)

## Expressing Geometric Properties with Equations

- A. Translate between the geometric description and the equation for a conic section. **AQR.G-GPE.A**
- 3. (+) Derive the equations of ellipses and hyperbolas given the foci, using the fact that the sum or difference of distances from the foci is constant. **AQR.G-GPE.A.3**
- a. (+) Use equations and graphs of conic sections to model real-world problems. **AQR.G-GPE.A.3.A**

## Geometric Measurement and Dimension

- A. Explain volume formulas and use them to solve problems. **AQR.G-GMD.A**
- 2. (+) Give an informal argument using Cavalieri's principle for the formulas for the volume of a sphere and other solid figures. **AQR.G-GMD.A.2**

## Statistics and Probability

### Conditional Probability and the Rules of Probability

- B. Use the rules of probability to compute probabilities of compound events in a uniform probability model. **AQR.S-CP.B**
- 8. (+) Apply the general Multiplication Rule in a uniform probability model,  $P(A \text{ and } B) = P(A)P(B|A) = P(B)P(A|B)$ , and interpret the answer in terms of the model. **AQR.S-CP.B.8**
- 9. (+) Use permutations and combinations to compute probabilities of compound events and solve problems. **AQR.S-CP.B.9**

## Using Probability to Make Decisions

### A. Calculate expected values and use them to solve problems. [AQR.S-MD.A](#)

1. (+) Define a random variable for a quantity of interest by assigning a numerical value to each event in a sample space; graph the corresponding probability distribution using the same graphical displays as for data distributions. [AQR.S-MD.A.1](#)
2. (+) Calculate the expected value of a random variable; interpret it as the mean of the probability distribution. [AQR.S-MD.A.2](#)
3. (+) Develop a probability distribution for a random variable defined for a sample space in which theoretical probabilities can be calculated; find the expected value. [AQR.S-MD.A.3](#)
4. (+) Develop a probability distribution for a random variable defined for a sample space in which probabilities are assigned empirically; find the expected value. [AQR.S-MD.A.4](#)

### B. Use probability to evaluate outcomes of decisions. [AQR.S-MD.B](#)

5. (+) Weigh the possible outcomes of a decision by assigning probabilities to payoff values and finding expected values. [AQR.S-MD.B.5](#)
  - a. (+) Find the expected payoff for a game of chance. [QR.S-MD.B.5.A](#)
  - b. (+) Evaluate and compare strategies on the basis of expected values. [QR.S-MD.B.5.B](#)
6. (+) Use probabilities to make fair decisions (e.g., drawing by lots, using a random number generator). [AQR.S-MD.B.6](#)
7. (+) Analyze decisions and strategies using probability concepts (e.g., product testing, medical testing, pulling a hockey goalie at the end of a game and replacing the goalie with an extra skater). [AQR.S-MD.B.7](#)